

Product Datasheet

FAT4 Antibody NBP2-78795

Unit Size: 100 ul

Store at 2 - 8 C / 1 year from date of receipt

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-78795

Updated 10/10/2022 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-78795



NBP2-78795

FAT4 Antibody


| Product Information | |
|---------------------|---------------------------------------------------------------------------------------------|
| Unit Size | 100 ul |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 2 - 8 C / 1 year from date of receipt |
| Clonality | Polyclonal |
| Preservative | 0.09% Sodium Azide |
| Isotype | IgG |
| Purity | Affinity purified |
| Buffer | TBS containing 0.1% BSA |

| Product Description | |
|---------------------|-----------------------|
| Host | Rabbit |
| Gene ID | 79633 |
| Gene Symbol | FAT4 |
| Species | Human |
| Immunogen | between 4931 and 4981 |


| Product Application Details | |
|-----------------------------|-----------------------------------------------------|
| Applications | Western Blot, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:1000, Immunoprecipitation 8-15 ul/mg |

Images

Western Blot: FAT4 Antibody [NBP2-78795] - Samples: Whole cell lysate (50 ug) from HeLa and KM12 cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-FAT4 antibody NBP2-78795 used for WB at 1:1000. Detection: Chemiluminescence with an exposure time of 75 seconds.



Immunoprecipitation: FAT4 Antibody [NBP2-78795] - Samples: Whole cell lysate (1.0 mg per IP reaction; 20% of IP loaded) from HeLa cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-FAT4 antibody NBP2-78795 used for IP at 15 ul per reaction. FAT4 was also immunoprecipitated by rabbit anti-FAT4 antibody from Company B. For blotting immunoprecipitated FAT4, NBP2-78795 was used at 1:1000. Detection: Chemiluminescence with an exposure time of 75 seconds.



Publications

Wang X Loss of FAT4 induces aneuploidy in urothelial cells and promotes the invasive and migratory capacities of bladder cancer cell lines Thesis 2023-01-01



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112

USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane

Abingdon Science Park

Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-78795

Earn gift cards/discounts by submitting a publication using this product:

www.novusbio.com/publications

