# **Product Datasheet**

## HLA DQ/DR/DP Antibody (HLA-Pan/2967R) [Alexa Fluor® 750] NBP2-79843AF750

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-79843AF750

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-79843AF750

#### NBP2-79843AF750

HLA DQ/DR/DP Antibody (HLA-Pan/2967R) [Alexa Fluor® 750]

| Product Information     |  |
|-------------------------|--|
| Unit Size               | 0.1 ml   |
| Concentration           | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                 | Store at 4C in the dark.   |
| Clonality               | Monoclonal   |
| Clone                   | HLA-Pan/2967R  |
| Preservative            | 0.05% Sodium Azide   |
| Isotype                 | IgG  |
| Conjugate               | Alexa Fluor 750  |
| Purity                  | Protein A or G purified  |
| Buffer                  | 50mM Sodium Borate   |
| Product Description     |  |
| Host                    | Rabbit   |
| Gene ID                 | 3117   |
| Gene Symbol             | HLA-DQA1   |
| Species                 | Human  |
| Specificity/Sensitivity | Reacts with a common epitope of human major histocompatibility (MHC) class II<br>antigens, HLA-DP, -DQ and -DR. Human MHC class II antigens are<br>transmembrane glycoproteins composed of an alpha chain(36kDa) and a beta<br>chain (27kDa). They are expressed primarily on antigen presenting cells such as<br>B lymphocytes, monocytes, macrophages, and thymic epithelial cells and are<br>also present on activated T lymphocytes. Human MHC class II genes are located<br>in the HLA-D region that encodes at least six and ten genes. Three loci, DR, DQ<br>and DP, encode the major expressed products of the human class II region. The<br>human MHC class II molecules bind intracellularly processed peptides and<br>present them to T-helper cells. They, therefore, have a critical role in the initiation<br>of the immune response. It has been shown that some autoimmune diseases are<br>associated with certain class II alleles. |
| Immunogen               | Non-T, non-B human acute lymphoblastic leukemia REH6 cell line   |
|                         |  |

www.novusbio.com



|                             | Alexa Fluor (R) products are provided under an intellectual property license from<br>Life Technologies Corporation. The purchase of this product conveys to the<br>buyer the non-transferable right to use the purchased product and components<br>of the product only in research conducted by the buyer (whether the buyer is an<br>academic or for-profit entity). The sale of this product is expressly conditioned on<br>the buyer not using the product or its components, or any materials made using<br>the product or its components, in any activity to generate revenue, which may<br>include, but is not limited to use of the product or its components: (i) in<br>manufacturing; (ii) to provide a service, information, or data in return for<br>payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for<br>resale, regardless of whether they are resold for use in research. For information<br>on purchasing a license to this product for purposes other than as described<br>above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad,<br>CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The<br>volume will be greater than or equal to the unit size stated on the datasheet. |
|-----------------------------|---|
| Product Application Details |   |
| Applications                | Western Blot, ELISA, Flow Cytometry,<br>Immunocytochemistry/Immunofluorescence, Immunohistochemistry,<br>Immunohistochemistry-Paraffin, Protein Array, CyTOF-ready  |
| Recommended Dilutions       | Western Blot, Flow Cytometry, ELISA, Immunohistochemistry,<br>Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin,<br>Protein Array, CyTOF-ready  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.  |
|                             | •   |

Notes





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-79843AF750

| NBP2-24891AF750 | Rabbit IgG Isotype Control [Alexa Fluor® 750] |
|-----------------|---|
| 210-TA-005      | TNF-alpha [Unconjugated]                      |
| D6050           | IL-6 [HRP]                                    |
| 6507-IL-010/CF  | IL-4 [Unconjugated]                           |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-79843AF750

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

