Product Datasheet

NPM1 Antibody (NPM1/3286) - Azide and BSA Free NBP2-79875

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-79875

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-79875



NBP2-79875

NPM1 Antibody (NPM1/3286) - Azide and BSA Free

5 (
Product Information		
Unit Size	100 ug	
Concentration	1 mg/ml	
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.	
Clonality	Monoclonal	
Clone	NPM1/3286	
Preservative	No Preservative	
Isotype	IgG1 Kappa	
Purity	Protein A or G purified	
Buffer	10 mM PBS	
Target Molecular Weight	33 kDa	
Product Description		
Description	 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP2-79740). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. 	
Host	Mouse	
Gene ID	4869	
Gene Symbol	NPM1	
Species	Human	
Marker	Acute Myeloid Leukemia Marker	
Specificity/Sensitivity	Recognizes a 33kDa glycoprotein, identified as NPM1 (NPM). It is predominantly localized in the nucleus of cells in most tissues. NPM is involved in ribosomal assembly and rRNA transport. It is an abundant protein that is highly phosphorylated by Cdc2 kinase during mitosis. This phosphoprotein moves between the nucleus and the cytoplasm. It is thought to be involved in several processes including regulation of the ARF/p53 pathway. A number of genes are fusion partners, in particular the anaplastic lymphoma kinase gene on chromosome 2. Mutations in exon 12 affecting the C-terminus of the protein are associated with an aberrant cytoplasmic location. Mutations in this gene are associated with acute myeloid leukemia.	
Immunogen	Recombinant human NPM1 protein fragment (aa185-287) (exact sequence is proprietary) (Uniprot: P06748)	
Product Application Details	Product Application Details	
Applications	Western Blot, ELISA, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Protein Array, CyTOF-ready	
Recommended Dilutions	Western Blot 1-2 ug/ml, Flow Cytometry 1-2 ug/million cells, ELISA 2-4 ug/ml, Immunohistochemistry 1-2 ug/ml, Immunocytochemistry/ Immunofluorescence 1- 2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml, Protein Array, CyTOF-ready	



Application Notes

ELISA: Use Ab at 2-4ug/ml for coating. Order Ab without BSA. Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 min at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.


Images Western Blot: NPM1 Antibody (NPM1/3286) - Azide and BSA Free kDa [NBP2-79875] - Western Blot Analysis of K562 cell lysate using NPM1 Antibody (NPM1/3286). 15 10 Immunocytochemistry/Immunofluorescence: NPM1 Antibody (NPM1/3286) - Azide and BSA Free [NBP2-79875] -Immunofluorescence staining of K562 cells using NPM1 Antibody (NPM1/3286) followed by goat anti-Mouse IgG conjugated to CF488 (green). Nuclei are stained with RedDot. Immunohistochemistry-Paraffin: NPM1 Antibody (NPM1/3286) - Azide and BSA Free [NBP2-79875] - Formalin-fixed, paraffin-embedded human Basal Cell Carcinoma stained with NPM1 Antibody (NPM1/3286) Flow Cytometry: NPM1 Antibody (NPM1/3286) - Azide and BSA Free 100 [NBP2-79875] - Flow Cytometric Analysis of A549 cells using NPM1 Antibody (NPM1/3286) (NPM1/3286); followed by goat anti-mouse IgG-80 CF488 (Blue); Isotype Control (Red). 60 Vormalized 40 20 0 101 10² 105 103 104 FITC-A

www.novusbio.com



technical@novusbio.com

Protein Array: NPM1 Antibody (NPM1/3286) - Azide and BSA Free [NBP2-79875] - Analysis of Protein Array containing more than 19,000 full-length human proteins using NPM1 Antibody (NPM1/3286) Z- and S-Score: The Z-score represents the strength of a signal that a monoclonal antibody (MAb) (in combination with a fluorescently-tagged anti-IgG secondary antibody) produces when binding to a particular protein on the HuProt(TM) array. Z-scores are described in units of standard deviations (SD's) above the mean value of all signals generated on that array. If targets on HuProt(TM) are arranged in descending order of the Z-score, the S-score is the difference (also in units of SD's) between the Z-score. S-score therefore represents the relative target specificity of a MAb to its intended target. A MAb is considered to specific to its intended target, if the MAb has an S-score of at least 2.5.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-79875

NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NB110-61646PEP	NPM1 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-79875

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

