## **Product Datasheet**

### Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free NBP2-80614

Unit Size: 0.2 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80614

Updated 4/13/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80614



#### NBP2-80614

Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free

Product InformationUnit Size0.2	ml	
Unit Size 0.2	ml	
Concentration 1 m	ng/ml	
•	re at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw les.	
Clonality Mo	noclonal	
Clone CP	P32 4-1-18	
Preservative No	Preservative	
Isotype IgG	2a Kappa	
Purity Pro	tein G purified	
Buffer PB	S	
Target Molecular Weight31.	7 kDa	
Product Description		
Host Mo	use	
Gene ID 836	3	
Gene Symbol CA	SP3	
Species Hu	man, Mouse, Rat	
	s Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free was developed ainst full-length recombinant human Caspase 3 [UniProt# P42574].	
Product Application Details		
Imr	stern Blot, Simple Western, Immunocytochemistry/ Immunofluorescence, nunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry- raffin, Immunoprecipitation	
1:2 Imr 1:5	stern Blot 1:500-1:1000, Simple Western 1:2000, Immunohistochemistry 00-1:500, Immunocytochemistry/ Immunofluorescence 2 ug/ml, nunoprecipitation 2 ug / mg lysate, Immunohistochemistry-Paraffin 1:200- 00, Immunohistochemistry-Frozen reported in scientific literature (PMID 242448)	
for info In S poi	and is seen at ~32 kDa for the inactive form of Caspase 3 and ~17-22 kDa the active form of Caspase 3 in Western Blot. (See protocol for additional ormation). Simple Western only 10 - 15 uL of the recommended dilution is used per data nt. e <u>Simple Western Antibody Database</u> for Simple Western validation: antibody	
	tion of 1:2000. Separated by Size-Wes, Sally Sue/Peggy Sue.	

www.novusbio.com



#### Images

Western Blot: Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free [NBP2-80614] - Detection of Caspase (19 and 35 kDa) from HEK293 cell extract using Caspase-3 Antibody (CPP32 4-1-18) (NB500-210). Lanes 1 and 2 contain inactive and active Caspase, respectively. Image from the standard format of this antibody.

Inactive Active <u>kDa</u> 32.5 – 25 – 16.5 –


Immunocytochemistry: Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free [NBP2-80614] - Caspase-3 was detected in immersion fixed paraffin-embedded sections of human bladder 1:300 dilution of mouse monoclonal Caspase-3 Antibody (CPP32 4-1-18) (NB500-210, Novus Biologicals), for 1 hour at room temperature followed by anti-mouse IgG VisUCyte H

Immunohistochemistry-Paraffin: Caspase-3 Antibody (CPP32 4-1-18) -Azide and BSA Free [NBP2-80614] - Rat epithelial cells of the tongue base. Antigen retrieval method: Citrate buffer. Image from the standard format of this antibody.

Immunohistochemistry: Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free [NBP2-80614] - Analysis of a FFPE human spleen section using 1:200 dilution of Caspase-3 Antibody (CPP32 4-1-18). The staining was developed using HRP conjugated anti-mouse secondary antibody and DAB reagent. This Caspase 3 antibody generated a specific staining in the









Simple Western: Caspase-3 Antibody (CPP32 4-1-18) - Azide and BSA Free [NBP2-80614] - Lane view shows a specific band for Caspase 3 in 0.5 mg/ml of Hek293 lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system. Image from the standard format of this antibody.

SA	kDa	
3 in	230 -	
	180-	
	116-	
	66-	
	8.	
	40	
	12-	

www.novusbio.com





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-80614

NBP3-11853	Jurkat Staurosporine Treated / Untreated Cell Lysate
HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96981-0.5mg	Mouse IgG2a Kappa Isotype Control (M2AK)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80614

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

