Product Datasheet

HMGB1/HMG-1 Antibody (19N12A1) - Azide and BSA Free NBP2-80774

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80774

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80774




NBP2-80774

HMGB1/HMG-1 Antibody (19N12A1) - Azide and BSA Free

HMGB1/HMG-1 Antibody (19N12A1) - Azide and BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	19N12A1
Preservative	No Preservative
Isotype	IgG2b Kappa
Purity	Protein G purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	3146
Gene Symbol	HMGB1
Species	Human, Mouse
Immunogen	Full-length recombinant human HMGB1 was used as the immunogen.
Product Application Details	
Applications	Western Blot, Simple Western, Flow Cytometry
Recommended Dilutions	Western Blot 1-3 ug/ml, Simple Western 1:100, Flow Cytometry reported in scientific literature (PMID 29601597)
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point. See <u>Simple Western Antibody Database</u> for Simple Western validation: antibody dilution of 1:100

Images

Western Blot: HMGB1/HMG-1 Antibody (19N12A1) - Azide and BSA Free [NBP2-80774] - Analysis using HMGB1 antibody. A) Full-length human HMGB1 protein, B) human HeLa cell lysate and C) mouse NIH 3T3 cell lysate were probed with HMGB1 antibody at 2 ug/mL. Goat antimouse Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test. Image from the standard format of this antibody.



Simple Western: HMGB1/HMG-1 Antibody (19N12A1) - Azide and BSA Free [NBP2-80774] - Image shows a specific band for HMGB1 in 1.0 mg/mL of HeLa lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system. Image from the standard format of this antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-80774

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43317-0.5mg Mouse IgG2b Kappa Light Chain Isotype Control (MG2b)

NBP2-34960-10ug Recombinant Human HMGB1/HMG-1 His (C-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80774

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

