

# Product Datasheet

## HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free NBP2-80775

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-80775](http://www.novusbio.com/NBP2-80775)

Updated 9/9/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-80775](http://www.novusbio.com/reviews/destination/NBP2-80775)



**NBP2-80775**

HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free


Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	19N15F4
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	Protein G purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Mouse HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free (NBP2-27401) is a monoclonal antibody validated for use in IHC, WB, Flow and ICC/IF. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	3146
Gene Symbol	HMGB1
Species	Human, Mouse
Reactivity Notes	Based upon immunogen sequence similarity, this antibody is predicted to react 100% with olive baboon, crab-eating Macaque, and common marmoset.
Immunogen	Full-length recombinant human HMGB1 was used as the immunogen for the antibody.


Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1-3ug/ml, Flow Cytometry 5x10 <sup>5</sup> cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin 5ug/ml

**Images**


Western Blot: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Analysis of HMGB1 protein on ( A ) Full-length human HMGB1 protein (B) human Jurkat cell lysate and (C) mouse NIH 3T3 cell lysate using HMGB1 antibody (clone 19N15F4) at 2 ug/ml concentration. Goat anti-mouse IgG HRP secondary antibody and PicoTect ECL substrate solution were used in this assay. Image from the standard format of this antibody.




**Immunocytochemistry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775]** - Analysis of HMGB1 protein in a tissue section of human esophageal squamous cell carcinoma (SCC) using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. Strong nuclear along with weak cytoplasmic immunopositivity for HMGB1 was observed in SCC c




**Immunohistochemistry-Paraffin: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775]** - IHC-P detection of HMGB1 protein in formalin-fixed, decalcified, paraffin embedded tissue sections from the paws of mouse (collagen-induced arthritis model) using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml [Image courtesy of Dr Ulf Ander]



**Flow Cytometry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775]** - Intracellular analysis using HMGB1 antibody. Human Jurkat cells were probed using 0.5 ug of HMGB1 antibody (red) and 0.5 ug of isotype control antibody (green). Image from the standard format of this antibody.




**Immunohistochemistry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775]** - Analysis of HMGB1 protein in a section of human breast normal tissue using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. The ductal /acinar epithelial cells in the breast tissue section depicted strong nuclear expression with some cytoplasm







Immunohistochemistry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Analysis of HMGB1 protein in a section of human small intestinal cancer tissue using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. Intense nuclear immunopositivity of HMGB1 was observed in cancer cells and the cells of tumor stroma as well




Immunohistochemistry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Analysis of HMGB1 protein in a section of normal human stomach tissue using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. The cells of the glandular stomach showed specific nuclear expression for HMGB1. Image from the standard format of th




Immunohistochemistry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Analysis of HMGB1 protein in a tissue section of human bladder transitional cell carcinoma (TCC) / urothelial cell carcinoma (UCC) using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. Almost all the cancer cells and the cells of tumor strom



Immunohistochemistry: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Analysis of HMGB1 protein in a tissue section of normal human brain using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. The representative image shows an overall strong nuclear HMGB1 immunopositivity with weak to negligible cytoplasmic sta



Immunohistochemistry-Paraffin: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Analysis of HMGB1 protein in a tissue section of normal human colon using HMGB1 antibody (clone 19N15F4) at a concentration of 5 ug/ml. Almost all the cells of colon's mucosal layer showed nuclear positivity for HMGB1 but the cells of the columnar epithel



Immunohistochemistry-Paraffin: HMGB1/HMG-1 Antibody (19N15F4) - Azide and BSA Free [NBP2-80775] - Formalin-fixed, paraffin-embedded human skin stained with HMGB1 antibody at 5 ug/ml Image from the standard format of this antibody.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

[www.novusbio.com](http://www.novusbio.com)  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-80775**

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP2-34960-10ug	Recombinant Human HMGB1/HMG-1 His (C-Term) Protein

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-80775](http://www.novusbio.com/reviews/submit/NBP2-80775)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

