# **Product Datasheet**

# NG2/MCSP Antibody (LHM 2) - Azide and BSA Free NBP2-80873

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-80873

Updated 9/17/2020 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-80873



# NBP2-80873

NG2/MCSP Antibody (LHM 2) - Azide and BSA Free


0.1 ml
1 mg/ml
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Monoclonal
LHM 2
No Preservative
IgG1 Kappa
Protein G purified
Tris-Glycine, 0.15 M NaCl

<b>Product Description</b>	
Host	Mouse
Gene ID	1464
Gene Symbol	CSPG4
Species	Human
Immunogen	A 375P cells crude extract

<b>Product Application Details</b>	
Applications	Western Blot, Flow Cytometry, Flow (Cell Surface), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunoprecipitation, Knockout Validated
Recommended Dilutions	Western Blot 1:1000, Flow Cytometry, Immunohistochemistry 1:200, Immunocytochemistry/ Immunofluorescence 1:100, Immunoprecipitation 1:10 - 1:100, Immunohistochemistry-Paraffin 1:200, Immunohistochemistry-Frozen 1:200, Flow (Cell Surface) 1 - 2.5 ug/ml, Knockout Validated
Application Notes	In WB a band can be seen at ~300 kDa.


# **Images**

Western Blot: NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - Analysis of NG2 expression in HeLa whole cell lysate. Image from the standard format of this antibody.







Immunohistochemistry: NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - Staining of NG2 in human brain using DAB with hematoxylin counterstain. Image from the standard format of this antibody.




Flow Cytometry: NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - Antibody was tested at 1:400 in MCF7 cells using an Alexa Fluor 488 secondary (shown in green) alongside unstained cells (shown in red). Image from the standard format of this antibody.




Flow (Cell Surface): NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - A cell surface stain was performed on U87MG cells with NG2/MCSP antibody (LHM 2) NB100-2688AF647 (blue) and a matched isotype control NBP2-27287AF647 (orange). Cells were incubated in an antibody dilution of 2 ug/mL for 20 minutes at room temperature. Both antibodies were directly conjugated to Alexa Fluor 647.




Flow (Cell Surface): NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - A cell surface stain was performed on U87MG cells with NG2/MCSP antibody (LHM 2) NB100-2688PCP (blue) and a matched isotype control NBP2-27287PCP (orange). Cells were incubated in an antibody dilution of 2.5 ug/mL for 20 minutes at room temperature. Both antibodies were directly conjugated to PerCP complex.




Flow (Cell Surface): NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - A surface stain was performed on A375 Cells with NG2/MCSP (LHM2) antibody NB100-2688 (blue) and a matched isotype control NBP1-43319 (orange). Cells were incubated in an antibody dilution of 1 ug/mL for 20 minutes at room temperature, followed by mouse F(ab)2 IgG (H+L) APC-conjugated secondary antibody (F0101B, R&D Systems). Image from the standard format of this antibody.



Flow Cytometry: NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - A cell surface stain was performed on SK-MEL-28 cells with NG2/MCSP antibody (LHM 2) NB100-2688AF700 (blue) and a matched isotype control (orange). Cells were incubated in an antibody dilution of 5 ug/mL for 20 minutes at room temperature. Both antibodies were directly conjugated to Alexa Fluor 700.



Knockout Validated: NG2/MCSP Antibody (LHM 2) - Azide and BSA Free [NBP2-80873] - Western blot shows lysates of HeLa human cervical epithelial carcinoma parental cell line and NG2/MCSP (LHM2) knockout (KO) HeLa cell line. PVDF membrane was probed with 1.0 ug/ml of Mouse Anti-Human NG2/MCSP (LHM2) Polyclonal Antibody (Catalog # NB100-2688) followed by HRP-conjugated Anti-Mouse IgG Secondary Antibody (Catalog #HAF018). Specific band was detected for NG2/MCSP (LHM2) at approximately 300 kDa (as indicated) in the parental HeLa cell line, but is not detectable in the knockout HeLa cell line. This experiment was conducted under reducing conditions. Image from the standard format of this antibody.



#### **Publications**

Koivunotko E, Snirvi J, Merivaara A Et al. Angiogenic Potential of Human Adipose-Derived Mesenchymal Stromal Cells in Nanofibrillated Cellulose Hydrogel Biomedicines 2022-10-27 [PMID: 36289846] (WB, Human)

#### Details:

Citation using the Azide and BSA Free version of this antibody.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-80873**

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

NBP1-89682PEP NG2/MCSP Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-80873

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

