

# Product Datasheet

## SLC26A7 Antibody (14H5) - Azide and BSA Free NBP2-80950

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-80950](http://www.novusbio.com/NBP2-80950)

Updated 12/16/2020 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-80950](http://www.novusbio.com/reviews/destination/NBP2-80950)




**NBP2-80950**

SLC26A7 Antibody (14H5) - Azide and BSA Free


<b>Product Information</b>	
<b>Unit Size</b>	0.1 ml
<b>Concentration</b>	1.7 mg/ml
<b>Storage</b>	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
<b>Clonality</b>	Monoclonal
<b>Clone</b>	14H5
<b>Preservative</b>	No Preservative
<b>Isotype</b>	IgG2a
<b>Purity</b>	Protein G purified
<b>Buffer</b>	Tris-Glycine, 0.15 M NaCl
<b>Product Description</b>	
<b>Host</b>	Mouse
<b>Gene ID</b>	115111
<b>Gene Symbol</b>	SLC26A7
<b>Species</b>	Human, Mouse
<b>Reactivity Notes</b>	Mouse.
<b>Specificity/Sensitivity</b>	Mouse.
<b>Immunogen</b>	A fusion protein containing the C-terminal region of mouse SLC26A7. [Swiss-Prot# Q24JS8]
<b>Product Application Details</b>	
<b>Applications</b>	Western Blot, Immunocytochemistry/ Immunofluorescence
<b>Recommended Dilutions</b>	Western Blot 1:1000, Immunocytochemistry/ Immunofluorescence 1:100
<b>Application Notes</b>	This SLC26A7 antibody is useful for Western blot on cells transiently transfected with mouse SLC26A7 and also for Immunocytochemistry/Immunofluorescence. In WB a band can be seen at ~90-100 kDa representing SLC26A7. Note: Do not boil the samples.

## Images

Western Blot: SLC26A7 Antibody (14H5) - Azide and BSA Free [NBP2-80950] - Detection of Slc26a7 using NB110-60965. Tx: Okp cells transiently transfected with mouse Slc26a7 UTX: untransfected Okp cells. Image from the standard format of this antibody.



Immunocytochemistry/Immunofluorescence: SLC26A7 Antibody (14H5) - Azide and BSA Free [NBP2-80950] - SLC26A7 antibody was tested in HepG2 cells with FITC (green). Nuclei and alpha-tubulin were counterstained with Dapi (blue) and Dylight 550 (red). Image from the standard format of this antibody.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-80950](http://www.novusbio.com/reviews/submit/NBP2-80950)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

