## **Product Datasheet**

### Integrin beta 7 Antibody (FIB27) [Alexa Fluor® 647] NBP2-81087AF647

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81087AF647

Updated 7/11/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-81087AF647



#### NBP2-81087AF647

Integrin beta 7 Antibody (FIB27) [Alexa Fluor® 647]

|                         | -  |
|-------------------------|--|
| Product Information     |  |
| Unit Size               | 0.1 ml   |
| Concentration           | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                 | Store at 4C in the dark.   |
| Clonality               | Monoclonal   |
| Clone                   | FIB27  |
| Preservative            | 0.05% Sodium Azide   |
| Isotype                 | IgG Kappa  |
| Conjugate               | Alexa Fluor 647  |
| Purity                  | Protein A purified   |
| Buffer                  | 50mM Sodium Borate   |
| Product Description     |  |
| Host                    | Rabbit   |
| Gene ID                 | 3695   |
| Gene Symbol             | ITGB7  |
| Species                 | Human, Mouse   |
| Specificity/Sensitivity | FIB27 binds specifically to both human and mouse Integrin beta 7 at epitope region DI on which is involved in all a4b7-mediated adhesion events. Does not compete with DAKT32 for binding. FIB27 blocks LS722-induced TK1 cell aggregation (mAb LS722 is an activating anti-a4B7 antibody and induces aggregation via an a4B7-dependent pathway). Integrin beta 7 is one subunit is a heterodimer which makes up an intergin molecule. In the mouse beta-7 is selectively found on the majority of mature lymphocytes, whereas a small subpopulation of thymocytes and bone marrow cells express beta-7. Beta-7 is also expressed in variable amounts in CD4 T memory cells. Integrin molecules mediate cell-cell and cell-extracellular matrix adhesion and are involved in lymphocyte homing, leukocyte recruitment to inflammatory sites, myogenesis, hemopoiesis, and melanoma metastasis. |
| Immunogen               | FIB27 was prepared by immunizing rats with TK1 cells.  |
|                         |  |

www.novusbio.com



|                             | Alexa Fluor (R) products are provided under an intellectual property license from<br>Life Technologies Corporation. The purchase of this product conveys to the<br>buyer the non-transferable right to use the purchased product and components<br>of the product only in research conducted by the buyer (whether the buyer is an<br>academic or for-profit entity). The sale of this product is expressly conditioned on<br>the buyer not using the product or its components, or any materials made using<br>the product or its components, in any activity to generate revenue, which may<br>include, but is not limited to use of the product or its components: (i) in<br>manufacturing; (ii) to provide a service, information, or data in return for<br>payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for<br>resale, regardless of whether they are resold for use in research. For information<br>on purchasing a license to this product for purposes other than as described<br>above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad,<br>CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on<br>demand. Actual recovery may vary from the stated volume of this product. The<br>volume will be greater than or equal to the unit size stated on the datasheet. |
|-----------------------------|---|
| Product Application Details |   |
| Applications                | Flow Cytometry, Immunocytochemistry/Immunofluorescence,<br>Immunoprecipitation, Block/Neutralize  |
| Recommended Dilutions       | Flow Cytometry, Immunocytochemistry/Immunofluorescence,<br>Immunoprecipitation, Block/Neutralize  |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.  |

Notes





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Error: Subreport could not be shown.

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81087AF647

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

