Product Datasheet

SLC38A4 Antibody [Allophycocyanin] NBP2-81807APC

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-81807APC

Updated 11/11/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-81807APC



NBP2-81807APC

SLC38A4 Antibody [Allophycocyanin]

| SECSOA4 Antibody [Aliophycocyanin] | | |
|------------------------------------|--|--|
| Product Information | | |
| Unit Size | 0.1 ml | |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. | |
| Storage | Store at 4C in the dark. | |
| Clonality | Polyclonal | |
| Preservative | 0.05% Sodium Azide | |
| Isotype | IgG | |
| Conjugate | Allophycocyanin | |
| Purity | Peptide affinity purified | |
| Buffer | PBS | |
| Product Description | | |
| Host | Rabbit | |
| Gene ID | 55089 | |
| Gene Symbol | SLC38A4 | |
| Species | Human, Mouse | |
| Specificity/Sensitivity | SLC38A4 antibody is human and mouse reactive. SLC38A4 will not cross-react with other members of the SLC38 protein family. | |
| Immunogen | SLC38A4 antibody was raised against an 18 amino acid peptide from near the center of human SLC38A4. The immunogen is located within amino acids 270 - 320 of SLC38A4. Amino Acid Squence: MDYTHRNPAGLDENQAKG | |
| Product Application Details | | |
| Applications | Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunohistochemistry | |
| Recommended Dilutions | Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin | |
| | | |

| Product Application Details | |
|------------------------------------|--|
| Applications | Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunohistochemistry |
| Recommended Dilutions | Western Blot, ELISA, Immunohistochemistry, Immunohistochemistry-Paraffin |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-81807APC

NBP2-33376H Blue Marker Antibody (6F4-F6) [HRP]

IC1051A Rabbit IgG Isotype Control (60024B) [Allophycocyanin]
H00055089-P01-10ug Recombinant Human SLC38A4 GST (N-Term) Protein

292-G2-050 IGF-II/IGF2 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-81807APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

