## **Product Datasheet**

### Methyl tert-butyl ether Antibody - BSA Free NBP2-88852

Unit Size: 1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-88852

Updated 2/26/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-88852



#### NBP2-88852

Methyl tert-butyl ether Antibody - BSA Free

cycles.    Clonality  Polyclonal    Preservative  0.02% Sodium Azide    Isotype  IgY    Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description     Host  Chicken    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Precautions should be taken upon storage for longer periods. Precautions should be taken upon storage for longer periods. Precautions advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  Immunoaffinity Purification    Application Notes  The antibody may be used in IAC. The titer of the antibody solution is 2.00		
Concentration  5 mg/ml    Storage  Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze- cycles.    Clonality  Polyclonal    Preservative  0.02% Sodium Azide    Isotype  IgY    Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description  Host    Host  Chicken    Species  Non-species specific    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbarnide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Problems or term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Product Information	
Storage  Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-fcycles.    Clonality  Polyclonal    Preservative  0.02% Sodium Azide    Isotype  IgY    Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description  Host    Host  Chicken    Species  Non-species specific    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Problems or term stability may occur with highly diluted solutions.    For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Jnit Size	1 ml
cycles.    Clonality  Polyclonal    Preservative  0.02% Sodium Azide    Isotype  IgY    Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description     Host  Chicken    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods.  Precautions should be taken upon storage for longer periods.    Product Application Details  For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  Immunoaffinity Purification    Application Notes  The antibody may be used in IAC. The titer of the antibody solution is 2.00 which means that the antibody should be diluted 2,000 times for 50 % bin	Concentration	5 mg/ml
Preservative  0.02% Sodium Azide    Isotype  IgY    Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description  Implement    Host  Chicken    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Precautions should be taken upon storage for longer periods. Precautions should be taken upon storage for longer periods. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  Immunoaffinity Purification    Application Notes  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	•	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Isotype  IgY    Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description	Clonality	Polyclonal
Purity  PEG purified    Buffer  0.1 M PBS (pH 7.2)    Product Description     Host  Chicken    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  Immunoaffinity Purification    Application Notes  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Preservative	0.02% Sodium Azide
Buffer  0.1 M PBS (pH 7.2)    Product Description     Host  Chicken    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	sotype	IgY
Product Description    Host  Chicken    Species  Non-species specific    Specificity/Sensitivity  Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details  Immunoaffinity Purification    Applications  Immunoaffinity Purification    Recommended Dilutions  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Purity	PEG purified
HostChickenSpeciesNon-species specificSpecificity/SensitivityTarget: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.ImmunogenBSA-tert.Butyl CarbamideNotesChicken products cannot be exported to Canada.Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.Product Application DetailsImmunoaffinity PurificationApplicationsImmunoaffinity PurificationApplication NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Buffer	0.1 M PBS (pH 7.2)
SpeciesNon-species specificSpecificity/SensitivityTarget: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.ImmunogenBSA-tert.Butyl CarbamideNotesChicken products cannot be exported to Canada. Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.Product Application DetailsImmunoaffinity PurificationApplicationsImmunoaffinity PurificationApplication NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Product Description	
Specificity/SensitivityTarget: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alc most organic solvents.ImmunogenBSA-tert.Butyl CarbamideNotesChicken products cannot be exported to Canada. Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.Product Application DetailsImmunoaffinity PurificationRecommended DilutionsImmunoaffinity PurificationApplication NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	lost	Chicken
most organic solvents.    Immunogen  BSA-tert.Butyl Carbamide    Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods.    Precautions should be taken upon storage for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions.    For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details    Applications  Immunoaffinity Purification    Recommended Dilutions  Inmunoaffinity Purification    Application Notes  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % binding	Species	Non-species specific
Notes  Chicken products cannot be exported to Canada.    Store at 4C or aliquot and store at -20 C for longer periods.  Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions.    For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.    Product Application Details    Applications  Immunoaffinity Purification    Recommended Dilutions  Immunoaffinity Purification    Application Notes  The antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % binding		Target: Methyl tert-butyl ether, CAS no.: 1634-04-4, Solubility: Ethers, Alcohol, most organic solvents.
Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 advised with the appropriate precautions of use.Product Application DetailsImmunoaffinity PurificationApplicationsImmunoaffinity PurificationRecommended DilutionsImmunoaffinity PurificationApplication NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bind	mmunogen	BSA-tert.Butyl Carbamide
ApplicationsImmunoaffinity PurificationRecommended DilutionsImmunoaffinity PurificationApplication NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bind		Store at 4C or aliquot and store at -20 C for longer periods. Precautions should be taken upon storage for longer periods. Problems of long term stability may occur with highly diluted solutions. For long storage purposes in solution the addition of sodium azide at 0.02 % is
Recommended DilutionsImmunoaffinity PurificationApplication NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bind	Product Application Details	
Application NotesThe antibody may be used in IAC. The titer of the antibody solution is 2,00 which means that the antibody should be diluted 2,000 times for 50 % bin	Applications	Immunoaffinity Purification
which means that the antibody should be diluted 2,000 times for 50 % bin	Recommended Dilutions	Immunoaffinity Purification
Immuno-affinity-chromatography; Immuno-affinity-chromatography.		The antibody may be used in IAC. The titer of the antibody solution is 2,000, which means that the antibody should be diluted 2,000 times for 50 % binding. Immuno-affinity-chromatography; Immuno-affinity-chromatography.





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-88852

BAF010Goat anti-Chicken IgY Secondary Antibody [Biotin]NB7276Goat anti-Chicken IgM Heavy Chain Secondary Antibody

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-88852

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

