Product Datasheet

CRABP2 Antibody (004) - Azide and BSA Free NBP2-89836-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-89836

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-89836



NBP2-89836-100ul


CRABP2 Antibody (004) - Azide and BSA Free

cal
cal
cal
aw
s of t
nant
nant
nant




Images


Western Blot: CRABP2 Antibody (004) [NBP2-89836] - Lane A: 293T Whole Cell Lysate Lane B: MCF7 Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG H&L (Dylight800) at 1/10000 dilution. Developed using the Odyssey technique. Performed under reducing conditions. Predicted band size:16 kDa Observed band size:14 kDa




Immunocytochemistry/Immunofluorescence: CRABP2 Antibody (004) [NBP2-89836] - Staining of Human CRABP2 in MCF7 cells. Cells were fixed with 4% PFA, permeabilzed with 1% Triton X-100 in PBS, blocked with 10% serum, and incubated with Rabbit anti-Human CRABP2 monoclonal antibody (1:300) at 4c overnight. Then cells were stained with the Alexa Fluor(R) 488-conjugated Goat Anti-rabbit IgG secondary antibody (green) and counterstained with DAPI (blue). Positive staining was localized to cytoplasm.



Flow Cytometry: CRABP2 Antibody (004) [NBP2-89836] - Analysis of Human CRABP2 expression on MCF-7 cells. The cells were treated, stained with purified anti-Human CRABP2, then a FITC-conjugated second step antibody. The fluorescence histograms were derived from gated events with the forward and side light-scatter characteristics of intact cells.



Immunoprecipitation: CRABP2 Antibody (004) [NBP2-89836] - Lane A:0.5 mg 293T Whole Cell Lysate Lane B:0.5 mg Raji Whole Cell Lysate 0.5 uL anti-CRABP2 rabbit monoclonal antibody and 60 ug of Immunomagnetic beads Protein G. Primary antibody: Anti-CRABP2 rabbit monoclonal antibody,at 1:500 dilution Secondary antibody: Dylight 800-labeled antibody to rabbit IgG (H+L), at 1:5000 dilution Developed using the odssey technique. Performed under reducing conditions. Predicted band size: 16 kDa Observed band size: 16 kDa





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-89836-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBC1-18490 Recombinant Human CRABP2 Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-89836

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

