Product Datasheet

Caspase 5 Antibody - Azide and BSA Free NBP2-92338-0.1ml

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-92338

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-92338



NBP2-92338-0.1ml

Caspase 5 Antibody - Azide and BSA Free

•	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Proclin 300
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.3), 50% glycerol
Target Molecular Weight	49 kDa
Product Description	
Description	Novus Biologicals Rabbit Caspase 5 Antibody - Azide and BSA Free (NBP2-92338) is a polyclonal antibody validated for use in WB. All Novus Biologicals

Product Description	
Description	Novus Biologicals Rabbit Caspase 5 Antibody - Azide and BSA Free (NBP2-92338) is a polyclonal antibody validated for use in WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	838
Gene Symbol	CASP5
Species	Human
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 140-250 of human Caspase-5 (NP_001129584). QMFTQTLLNMDQKITSVKPLLQIEAGPPESAESTNILKLCPREEFLRLCKKNHDE IYPIKKREDRRRLALIICNTKFDHLPARNGAHYDIVGMKRLLQGLGYTVVDEKNLT

Product Application Details	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:500-1:2000

Images

Western Blot: Caspase 5 Antibody - Azide and BSA Free [NBP2-92338] - Western blot analysis of lysates from THP-1 cells using Caspase 5 Rabbit pAb at 1:700 dilution. THP-1 cells were treated by TPA (80nM) overnight and LPS (1 ug/ml) at 37 C for 1 hour.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at


1:10000 dilution.

Lysates/proteins: 25 ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit.

Exposure time: 30s.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-92338-0.1ml

NBP3-11853 Jurkat Staurosporine Treated / Untreated Cell Lysate

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-92338

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

