

Product Datasheet

OGR1 Antibody - BSA Free NBP2-93067-0.02ml

Unit Size: 0.02 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 3

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-93067

Updated 6/10/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-93067



NBP2-93067-0.02ml

OGR1 Antibody - BSA Free


Product Information	
Unit Size	0.02 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.3), 50% glycerol
Target Molecular Weight	41 kDa

Product Description	
Host	Rabbit
Gene ID	8111
Gene Symbol	GPR68
Species	Human, Mouse, Rat
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 276-365 of human GPR68 (NP_003476.3). SFNCVADPVLVLYCFVSETTHRDLARLRGACLAFLTCRSRTGRAREAYPLGAPEAS GKSGAQGEPELLTKLHPAFQTPNSPGSGGFPTGRLA

Product Application Details	
Applications	Western Blot, Knockout Validated
Recommended Dilutions	Western Blot 1:500 - 1:1000, Knockout Validated

Images

Western Blot: OGR1 Antibody [NBP2-93067] - Analysis of extracts from normal (control) and GPR68 knockout (KO) 293T cells, using GPR68 antibody at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 30s.



Publications

Liu X, Liu Y, Yang RX et al. Loss of myeloid Tsc2 predisposes to angiotensin II-induced aortic aneurysm formation in mice Cell death & disease 2022-11-18 [PMID: 36400753] (Mouse)

Liu X, Liu Y, Yang RX et al. Loss of myeloid Tsc2 predisposes to angiotensin II-induced aortic aneurysm formation in mice Cell death & disease 2022-11-18 [PMID: 36400753] (Mouse)

Liu X, Liu Y, Yang RX et al. Loss of myeloid Tsc2 predisposes to angiotensin II-induced aortic aneurysm formation in mice Cell death & disease 2022 Nov 18 [PMID: 36400753] (Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA

Phone: 303.730.1950

Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada

Phone: 905.827.6400

Toll Free: 855.668.8722

Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15

Fax: (44) (0) 1235 533420

info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-93067

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



