# **Product Datasheet**

# ASB9 Antibody - BSA Free NBP2-98662-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-98662

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-98662



## NBP2-98662-100ul


ASB9 Antibody - BSA Free

) ul
ase see the vial label for concentration. If unlisted please contact technical vices.
re at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw les.
yclonal
3% Proclin 300
igen and protein A Affinity-purified
S
s antibody can be stored at 2C to 8C for one month without detectable loss of vity. Antibody products are stable for twelve months from date of receipt en stored at -20C to -80C. Avoid repeated freeze-thaw cycles.
obit
0462
B9
man
duced in rabbits immunized with E. coli-derived Human ASB9 fragment.
stern Blot, Immunocytochemistry/ Immunofluorescence, nunohistochemistry-Paraffin
stern Blot 1:500-1:2000, Immunocytochemistry/ Immunofluorescence 1:100-00, Immunohistochemistry-Paraffin 1:500-1:2000




#### **Images**


Western Blot: ASB9 Antibody [NBP2-98662] - Anti-ASB9 rabbit polyclonal antibody at 1:500 dilution. Lane A: U-251 MG Whole Cell Lysate Lane B: HepG2 Whole Cell Lysate Lane C: MOLT4 Whole Cell Lysate Lysates/proteins at 30 ug per lane. Secondary Goat Anti-Rabbit IgG (H+L)/HRP at 1/10000 dilution. Developed using the ECL technique. Performed under reducing conditions. Predicted band size: 32 kDa. Observed band size: 32 kDa (We are unsure as to the identity of these extra bands).



Immunocytochemistry/Immunofluorescence: ASB9 Antibody [NBP2-98662] - Immunofluorescence staining of ASB9 in Hela cells. Cells were fixed with 4% PFA, permeabilzed with 0.1% Triton X-100 in PBS, blocked with 10% serum, and incubated with rabbit anti-Human ASB9 polyclonal antibody (dilution ratio 1:200) at 4C overnight. Then cells were stained with the Alexa Fluor(R)488-conjugated Goat Anti-rabbit IgG secondary antibody (green) and counterstained with DAPI (blue). Positive staining was localized to Cytoplasm.



Immunohistochemistry-Paraffin: ASB9 Antibody [NBP2-98662] - Immunochemical staining of human ASB9 in human testis with rabbit polyclonal antibody at 1:1000 dilution, formalin-fixed paraffin embedded sections.





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP2-98662-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00140462-P01-10ug Recombinant Human ASB9 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-98662

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

