Product Datasheet

HYPB Antibody - Azide and BSA Free NBP3-03807-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-03807

Updated 12/18/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-03807



NBP3-03807-100ul


HYPB Antibody - Azide and BSA Free

| n t Pb Antibody - Azide and boa Free | |
|--------------------------------------|---|
| Product Information | |
| Unit Size | 100 ul |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at -20C. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.05% Proclin 300 |
| Isotype | IgG |
| Purity | Affinity purified |
| Buffer | PBS with 50% glycerol, pH7.3. |
| Product Description | |
| Host | Rabbit |
| Gene ID | 29072 |
| Gene Symbol | SETD2 |
| Species | Human, Mouse, Rat |
| Immunogen | A synthetic peptide corresponding to a sequence within amino acids 2475-2564 of human HYPB (NP_054878.5). RKEMSQFIVQCLNPYRKPDCKVGRITTTEDFKHLARKLTHGVMNKELKYCKNP EDLECNENVKHKTKEYIKKYMQKFGAVYKPKEDTELE |
| Product Application Details | |
| Applications | Western Blot, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation |
| Recommended Dilutions | Western Blot 1:500 - 1:1000, Immunocytochemistry/ Immunofluorescence 1:50-1:200, Immunoprecipitation 0.5ug-4ug antibody for 400ug-600ug extracts of |


whole cells

Images


Immunocytochemistry/Immunofluorescence: HYPB Antibody [NBP3-03807] - Analysis of U-2 OS cells using HYPB antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Immunocytochemistry/Immunofluorescence: HYPB Antibody [NBP3-03807] - Analysis of C6 cells using HYPB antibody at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Western Blot: HYPB Antibody [NBP3-03807] - analysis of lysates from Mouse spleen, using SETD2 Rabbit pAb at 1:900 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.



Immunoprecipitation- HYPB Antibody [NBP3-03807] - Analysis of 600 µg extracts of Mouse spleen using 3 µg SETD2 antibody. Western blot was performed from the immunoprecipitate using SETD2 antibody at a dilution of 1:1000.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-03807-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-89843PEP HYPB Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-03807

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

