Product Datasheet

KLF6 Antibody - BSA Free NBP3-06200-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-06200

Updated 2/26/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-06200



NBP3-06200-100ul


KLF6 Antibody - BSA Free

100 ul	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.03% Proclin 300	
IgG	
Antigen and protein A Affinity-purified	
PBS	
Product Description	
This antibody can be stored at 2C-8C for one month without detectable loss of activity. Antibody products are stable for twelve months from date of receipt when stored at -20C to -80C. Avoid repeated freeze-thaw cycles.	
Rabbit	
1316	
KLF6	
Human	
Produced in rabbits immunized with E. coli-derived Human KLF6 fragment.	
Product Application Details	
Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence	
Immunocytochemistry/ Immunofluorescence 1:100-1:500, Immunohistochemistry-Paraffin 1:500-1:3000	




Images


Immunocytochemistry/Immunofluorescence: KLF6 Antibody [NBP3-06200] - Immunofluorescence staining of KLF6 in Hela cells. Cells were fixed with 4% PFA, permeabilzed with 0.1% Triton X-100 in PBS,blocked with 10% serum, and incubated with rabbit anti-Human KLF6 polyclonal antibody (dilution ratio 1:200) at 4 degrees celsius overnight. Then cells were stained with the Alexa Fluor (TM) 594-conjugated Goat Anti-rabbit IgG secondary antibody (red). Positive staining was localized to Nucleus.



Immunohistochemistry-Paraffin: KLF6 Antibody [NBP3-06200] - Immunochemical staining of human KLF6 in human gallbladder with rabbit polyclonal antibody at 1:2000 dilution, formalin-fixed paraffin embedded sections.



Immunocytochemistry/Immunofluorescence: KLF6 Antibody [NBP3-06200] - Immunofluorescence staining of KLF6 in Hela cells. Cells were fixed with 4% PFA, permeabilzed with 0.1% Triton X-100 in PBS,blocked with 10% serum, and incubated with NBP3-06200 antibody (dilution ratio 1:200) at 4 degrees celsius overnight. Then cells were stained with the Alexa Fluor (TM) 594-conjugated Goat Anti-rabbit IgG secondary antibody (red). Positive staining was localized to Nucleus.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-06200-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-51565-0.05mg Recombinant Human KLF6 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-06200

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

