

# Product Datasheet

## RP105/CD180 Antibody (RP/14) - Azide Free NBP3-07919

Unit Size: 50 ug

Store at 4C.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP3-07919](http://www.novusbio.com/NBP3-07919)

Updated 2/26/2025 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP3-07919](http://www.novusbio.com/reviews/destination/NBP3-07919)



**NBP3-07919**

RP105/CD180 Antibody (RP/14) - Azide Free

| Product Information         |   |
|-----------------------------|---|
| Unit Size                   | 50 ug   |
| Concentration               | 0.1 mg/ml   |
| Storage                     | Store at 4C.  |
| Clonality                   | Monoclonal  |
| Clone                       | RP/14   |
| Preservative                | No Preservative   |
| Isotype                     | IgG2a   |
| Purity                      | Protein G purified  |
| Buffer                      | PBS containing 0.1% BSA   |
| Product Description         |   |
| Host                        | Rat   |
| Gene ID                     | 4064  |
| Gene Symbol                 | CD180   |
| Species                     | Mouse   |
| Specificity/Sensitivity     | Mouse   |
| Immunogen                   | Mouse CD180   |
| Product Application Details |   |
| Applications                | Flow Cytometry, Functional  |
| Recommended Dilutions       | Flow Cytometry, Functional  |
| Application Notes           | For flow cytometry, dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. For flow cytometry, dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-  
techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP3-07919**

---

|                  |  |
|------------------|--|
| HAF005           | Goat anti-Rat IgG Secondary Antibody [HRP]           |
| F0105B           | Goat anti-Rat IgG Secondary Antibody [Phycoerythrin] |
| NBP2-21947-0.1mg | Rat IgG2a Isotype Control (2A3)                      |
| NBP1-87727PEP    | RP105/CD180 Recombinant Protein Antigen              |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP3-07919](http://www.novusbio.com/reviews/submit/NBP3-07919)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

