Product Datasheet

Calretinin Antibody (CALB2/2602) [CoraFluor™ 1] NBP3-08323CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08323CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-08323CL1



NBP3-08323CL1

Calretinin Antibody (CALB2/2602) [CoraFluor™ 1]

Unit Size O.1 ml Concentration Please see the vial label for concentration. If unlisted services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone CALB2/2602 Preservative No Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with coabsorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Host Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothhelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is ident known as Calbindin 2). Calrettinin is a vitamin D-depe protein involved in calcium signaling. It is present in a throughout the brain and spinal chord, including sense calrettini is useful in differentiating mesothelioma fro lung. It also aids in differentiating protein fragment (aro	
Concentration Please see the vial label for concentration. If unlisted services. Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone CALBZ/2602 Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1. thiol reactive For more information, please see our CoraFluor(TM) Host Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is ident known as Calbindin 2). Calretinin is a vitamin D-depe protein involved in calcium signaling. It is present in a throughout the brain and spinal chord, including sens calretinin is useful in differentiating mesothelioma fro lung. It also aids in differentiating mesothelioma fro lung. It also aids in differentiating adrenal cortical ned pheochromocytomas.	
Storage Store at 4C in the dark. Do not freeze. Clonality Monoclonal Clone CALB2/2602 Preservative No Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Host Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is ident known as Calbindin 2). Calretinin is a vitamin D-depe protein involved in calcium signaling. It is present in sthroughout the brain and spinal chord, including sens calretinin is useful in differentiating mesothelioma fro lung. It also aids in differentiating mesothelioma fro lung. It also aids in differentiating mesothelioma fro lung. It also aids in differentiating adrenal cortical net pheochromocytomas.	
Clonality Clone CALB2/2602 Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable 1 such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Host Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is identification is a vitamin D-dependent in suseful in differentiating mesothelioma fro lung. It also aids in differentiating mesothelioma fro lung. It also aids in differentiating adrenal cortical need pheochromocytomas.	please contact technical
Clone CALB2/2602 Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Host Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is ident known as Calbindin 2). Calretinin is a vitamin D-dependent in suefful in differentiating mesothelioma fro lung. It also aids in differentiating adrenal cortical net pheochromocytomas.	
Preservative Isotype IgG1 Kappa Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable is such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker It recognizes a protein of about 29kDa, which is identification is a vitamin D-deperotein involved in calcium signaling. It is present in sthroughout the brain and spinal chord, including sens calretinin is useful in differentiating adrenal cortical net pheochromocytomas.	
Isotype	
Conjugate CoraFluor 1 Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with coabsorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker It recognizes a protein of about 29kDa, which is identification as called in involved in calcium signaling. It is present in sthroughout the brain and spinal chord, including sens calretinin is useful in differentiating adrenal cortical net pheochromocytomas.	
Purity Protein A purified Buffer PBS Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with coabsorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker It recognizes a protein of about 29kDa, which is identification in a vitamin D-dependency in the protein involved in calcium signaling. It is present in sufroughout the brain and spinal chord, including sensitivity in the protein in suseful in differentiating adrenal cortical net pheochromocytomas.	
Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is ident known as Calbindin 2). Calretinin is a vitamin D-dependence of the protein involved in calcium signaling. It is present in sthroughout the brain and spinal chord, including sense calretinin is useful in differentiating mesothelioma fro lung. It also aids in differentiating adrenal cortical near pheochromocytomas.	
Product Description CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with co absorb at the emission wavelengths of CoraFluor(TM be used for the development of robust and scalable 1 such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is ident known as Calbindin 2). Calretinin is a vitamin D-dependence of the protein involved in calcium signaling. It is present in throughout the brain and spinal chord, including sens calretinin is useful in differentiating mesothelioma fror lung. It also aids in differentiating adrenal cortical near pheochromocytomas.	
CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with coabsorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is identification in the company of the	
CoraFluor(TM) 1 is a high performance terbium-base Fluorescence Resonance Energy Transfer) or TRF (Fluorescence) donor for high throughput assay devel absorbs UV light at approximately 340 nm, and emits 545 nm, 585 nm and 620 nm. It is compatible with coabsorb at the emission wavelengths of CoraFluor(TM) be used for the development of robust and scalable such as target engagement, ternary complex, protein protein quantification assays. CoraFluor(TM) 1, amine reactive CoraFluor(TM) 1, thiol reactive For more information, please see our CoraFluor(TM) Mouse Gene ID 794 Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is identification in the company of the	
Gene Symbol CALB2 Species Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is idented known as Calbindin 2). Calretinin is a vitamin D-dependent protein involved in calcium signaling. It is present in a sthroughout the brain and spinal chord, including sensical retinin is useful in differentiating mesothelioma froolung. It also aids in differentiating adrenal cortical needs to be a supplease of the symbol o	Time-Resolved lopment. CoraFluor(TM) 1 s at approximately 490 nm, mmon acceptor dyes that d) 1. CoraFluor(TM) 1 can FR-FRET binding assays a-protein interaction and
Gene Symbol CALB2 Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is idented known as Calbindin 2). Calretinin is a vitamin D-dependent protein involved in calcium signaling. It is present in a throughout the brain and spinal chord, including sensical retining is useful in differentiating mesothelioma froolung. It also aids in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific protein involved in differentiating adrenal cortical needs to be a specific prot	
Gene Symbol CALB2 Human Marker Mesothelioma Marker Specificity/Sensitivity It recognizes a protein of about 29kDa, which is idented known as Calbindin 2). Calretinin is a vitamin D-dependent protein involved in calcium signaling. It is present in a throughout the brain and spinal chord, including sensical retining is useful in differentiating mesothelioma froolung. It also aids in differentiating adrenal cortical needs pheochromocytomas.	
Species Human Marker Mesothelioma Marker It recognizes a protein of about 29kDa, which is idented known as Calbindin 2). Calretinin is a vitamin D-dependent involved in calcium signaling. It is present in a throughout the brain and spinal chord, including sensical retining is useful in differentiating mesothelioma froolung. It also aids in differentiating adrenal cortical needs pheochromocytomas.	
Marker Mesothelioma Marker It recognizes a protein of about 29kDa, which is idented known as Calbindin 2). Calretinin is a vitamin D-dependent involved in calcium signaling. It is present in a throughout the brain and spinal chord, including sensical retinin is useful in differentiating mesothelioma frounds. It also aids in differentiating adrenal cortical needs pheochromocytomas.	
Specificity/Sensitivity It recognizes a protein of about 29kDa, which is identification in the second in the seco	
Immunogen Recombinant human Calretinin protein fragment (aro	endent calcium-binding subsets of neurons sory ganglia. Antibody to m adenocarcinomas of the
sequence is proprietary) (Uniprot: P22676)	und aa23-242) (exact
Notes CoraFluor (TM) is a trademark of Bio-Techne Corp. Sonly under agreement from Massachusetts General B 2022/0025254	

Product Application Details



Applications	Western Blot, Immunohistochemistry-Paraffin, Protein Array
Recommended Dilutions	Western Blot, Immunohistochemistry-Paraffin, Protein Array
Application Notes	Optimal dilution of this antibody should be experimentally determined.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-08323CL1

NBP1-48344-0.1mg Recombinant Human Calretinin His Protein

7268-CT-100 CTLA-4 [Unconjugated]

NBP3-06812 Human Calretinin ELISA Kit (Colorimetric)

MAB1455 Albumin Antibody (188835) [Unconjugated] - Serum

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08323CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

