Product Datasheet

Ferritin Light Chain Antibody (FTL/2338R) - Azide and BSA Free NBP3-08620

Unit Size: 100 ug

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08620

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-08620

NBP3-08620

Ferritin Light Chain Antibody (FTL/2338R) - Azide and BSA Free


remain Light chain Antibody (in Election) Azide and Dertifice	
Product Information	
Unit Size	100 ug
Concentration	1 mg/ml
Storage	Store at -20 to -80C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	FTL/2338R
Preservative	No Preservative
Isotype	IgG
Purity	Protein A or G purified
Buffer	10 mM PBS
Product Description	
Description	 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP3-07804). Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.
Host	Rabbit
Gene ID	2512
Gene Symbol	FTL
Species	Human
Marker	Microglia Marker
Immunogen	Recombinant human Ferritin Light Chain protein fragment (around aa 38-165) (exact sequence is proprietary) (Uniprot: P02792)
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml
Application Notes	Immunohistochemistry Formalin-fixed: 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes.

www.novusbio.com




Images


Western Blot: Ferritin Light Chain Antibody (FTL/2338R) - Azide and BSA Free [NBP3-08620] - Western Blot Analysis of human HeLa cell lysate using Ferritin Light Chain Rabbit Recombinant Monoclonal Antibody (FTL/2338R).



Immunohistochemistry-Paraffin: Ferritin Light Chain Antibody (FTL/2338R) - Azide and BSA Free [NBP3-08620] - Formalin-fixed, paraffin-embedded human Breast Carcinoma stained with Ferritin Light Chain Rabbit Recombinant Monoclonal Antibody (FTL/2338R).

Western Blot: Ferritin Light Chain Antibody (FTL/2338R) - Azide and BSA Free [NBP3-08620] - Western Blot Analysis of human kidney tissue lysate using Ferritin Light Chain Rabbit Recombinant Monoclonal Antibody (FTL/2338R).









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-08620

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBC1-18546	Recombinant Human Ferritin Light Chain Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08620

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

