## **Product Datasheet**

### Vimentin Antibody (VIM/1937R) [DyLight 350] NBP3-08936UV

Unit Size: 100 ul

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-08936UV

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-08936UV



#### NBP3-08936UV

Vimentin Antibody (VIM/1937R) [DyLight 350]

f unlisted please contact technical f unlisted please contact technical ken, Equine, Feline, Mouse Da protein identified as Vimentin. It elated intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including s, and fibroblasts. Non-reactivity of ul than its positive reactivity, since <i>V</i> imentin, e.g. hepatoma and tissue process control reagent. otein (Uniprot: P08670)	
ken, Equine, Feline, Mouse Da protein identified as Vimentin. It elated intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including a, and fibroblasts. Non-reactivity of ul than its positive reactivity, since <i>i</i> mentin, e.g. hepatoma and tissue process control reagent.	
ken, Equine, Feline, Mouse Da protein identified as Vimentin. It elated intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including a, and fibroblasts. Non-reactivity of ul than its positive reactivity, since <i>i</i> mentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
Da protein identified as Vimentin. It related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including and fibroblasts. Non-reactivity of ul than its positive reactivity, since fimentin, e.g. hepatoma and tissue process control reagent.	
related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including a, and fibroblasts. Non-reactivity of ul than its positive reactivity, since (imentin, e.g. hepatoma and tissue process control reagent.	
related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including a, and fibroblasts. Non-reactivity of ul than its positive reactivity, since (imentin, e.g. hepatoma and tissue process control reagent.	
related intermediate filament proteins er antibodies, it is useful for the sub- of Vimentin, when used in conjunction ing melanomas from undifferentiated helanomas and Schwannomas react y of mesenchymal cells, including a, and fibroblasts. Non-reactivity of ul than its positive reactivity, since (imentin, e.g. hepatoma and tissue process control reagent.	
otein (Uniprot: P08670)	
r Scientific Inc. and its subsidiaries.	
Product Application Details	
chemistry/Immunofluorescence, stry-Paraffin	
ochemistry, , Immunohistochemistry-Paraffin	
xperimentally determined.	
chemistry/Immunofluorescen stry-Paraffin ochemistry, , Immunohistochemistry-Para	





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-08936UV

NB300-141	GFAP Antibody
2105-VI-100	Vimentin [Unconjugated]
NBP2-35139-100ug	Recombinant Human Vimentin Protein
NBP2-24891UV	Rabbit IgG Isotype Control [DyLight 350]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-08936UV

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

