

Product Datasheet

Fas Ligand/TNFSF6 Antibody (NOK-1) - BSA Free NBP3-09151

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-09151

Updated 4/9/2023 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-09151



NBP3-09151


Fas Ligand/TNFSF6 Antibody (NOK-1) - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	NOK-1
Preservative	0.02% Sodium Azide
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	356
Gene Symbol	FASLG
Species	Human
Specificity/Sensitivity	The mouse monoclonal antibody NOK-1 recognizes an extracellular epitope of CD178 / Fas-L, an approximately 40 kDa transmembrane glycoprotein expressed on neutrophils, monocytes, and activated T and NK cells.
Immunogen	L5178Y mouse T lymphoma cells expressing recombinant human Fas Ligand/TNFSF6
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot, Flow Cytometry 1-4 ug/ml, Immunocytochemistry/Immunofluorescence, Immunoprecipitation




Images

Flow Cytometry: Fas Ligand/TNFSF6 Antibody (NOK-1) [NBP3-09151] - Separation of FasL transfected L5178Y cells stained using anti-human CD178 (NOK-1) purified antibody (concentration in sample 9 ug/ml, GAM APC, red-filled) from FasL transfected L5178Y cells unstained by primary antibody (GAM APC, black-dashed) in flow cytometry analysis (surface staining).



Flow Cytometry: Fas Ligand/TNFSF6 Antibody (NOK-1) [NBP3-09151] - Surface staining pattern of FasL transfected L5178Y cells stained using anti-human CD178 (NOK-1) purified antibody (concentration in sample 9 ug/ml) GAM APC.



**Novus Biologicals USA**

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-09151

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-97005-0.5mg	Mouse IgG1 Isotype Control (MG1)
NBP2-49160PEP	Fas Ligand/TNFSF6 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-09151

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

