

Product Datasheet

CLEC4D/CLECSF8 Antibody (WEN42) - Azide Free NBP3-11193

Unit Size: 50 ug

Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-11193

Updated 2/26/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-11193



NBP3-11193

CLEC4D/CLECSF8 Antibody (WEN42) - Azide Free

Product Information

| | |
|----------------------|---|
| Unit Size | 50 ug |
| Concentration | 0.1 mg/ml |
| Storage | Store at 4C. |
| Clonality | Monoclonal |
| Clone | WEN42 |
| Preservative | No Preservative |
| Isotype | IgG2a |
| Purity | Protein G purified |
| Buffer | 0.2 um filtered solution in PBS, 0.1% BSA |

Product Description


| | |
|--------------------------------|--|
| Host | Mouse |
| Gene ID | 338339 |
| Gene Symbol | CLEC4D |
| Species | Rat |
| Specificity/Sensitivity | WEN42 does not bind to cells transfected with human MCL or with other APLEC receptors. |
| Immunogen | BWZ.36 cell expressing chimeric CLEC4D/CLECSF8 |
| Endotoxin Note | <24 EU/mg |

Product Application Details

| | |
|------------------------------|--|
| Applications | Western Blot, Flow Cytometry, Functional, Immunohistochemistry-Frozen, Immunoprecipitation |
| Recommended Dilutions | Western Blot, Flow Cytometry, Immunoprecipitation, Immunohistochemistry-Frozen, Functional |
| Application Notes | For immunohistochemistry, Flow Cytometry, immunoprecipitation and Western blotting, dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. |

Images

Flow Cytometry: CLEC4D/CLECSF8 Antibody (WEN42) [NBP3-11193] - Detection of CLEC4D/CLECSF8 in transfected BW5147 cells. Red and blue line represent IgG1 Isotype control and CLEC4D/CLECSF8 stained cells respectively.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-11193

| | |
|---------------|---|
| HAF007 | Goat anti-Mouse IgG Secondary Antibody [HRP] |
| NB720-B | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-96778 | Mouse IgG2a Isotype Control (M2A) |
| NBP1-84445PEP | CLEC4D/CLECSF8 Recombinant Protein Antigen |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11193

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

