# **Product Datasheet**

# JAM-C Antibody (19H36) NBP3-11220

Unit Size: 50 ug Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11220

Updated 3/30/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11220



## NBP3-11220

JAM-C Antibody (19H36)


| Product Information |   |
|---------------------|---|
| Unit Size           | 50 ug                                     |
| Concentration       | 0.1 mg/ml                                 |
| Storage             | Store at 4C.                              |
| Clonality           | Monoclonal                                |
| Clone               | 19H36                                     |
| Preservative        | 0.02% Sodium Azide                        |
| Isotype             | IgG2a                                     |
| Purity              | Protein G purified                        |
| Buffer              | 0.2 um filtered solution in PBS, 0.1% BSA |
| Product Description |   |

| Product Description |  |
|---------------------|--|
| Host                | Rat                                    |
| Gene ID             | 83700                                  |
| Gene Symbol         | JAM3                                   |
| Species             | Human, Mouse                           |
| Immunogen           | Junctional adhesion molecule-C (JAM-C) |

| Product Application Details |  |
|-----------------------------|--|
| Applications                | Flow Cytometry, Immunoassay, Immunohistochemistry-Frozen, Immunoprecipitation  |
| Recommended Dilutions       | Flow Cytometry, Immunoprecipitation, Immunohistochemistry-Frozen, Immunoassay  |
| Application Notes           | For Immunohistochemistry and Flow Cytometry dilutions to be used depend on detection system applied. It is recommended that users test the reagent and determine their own optimal dilutions. The typical starting working dilution is 1:50. |

# **Images**

Flow Cytometry: JAM-C Antibody (19H36) [NBP3-11220] - Analysis of JAM-C in bEnd3 cells.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-11220**

HAF005 Goat anti-Rat IgG Secondary Antibody [HRP]

NBP1-75398 Goat anti-Rat IgG (H+L) Secondary Antibody (Pre-adsorbed)

NBP2-21947-0.1mg Rat IgG2a Isotype Control (2A3)
NBP2-58727PEP JAM-C Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11220

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

