# **Product Datasheet**

# Endorepellin/Perlecan/Heparan Sulfate Proteoglycan Antibody (SPM255) [CoraFluor™ 1] NBP3-11461CL1

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11461CL1

Updated 8/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11461CL1



# NBP3-11461CL1

Endorepellin/Perlecan/Heparan Sulfate Proteoglycan Antibody (SPM255) [CoraFluor™ 1]

| Endorepellin/Penecan/neparan S | bullate Proteogrycan Antibody (SPM255) [CoraFidor *** 1]  |
|--------------------------------|---|
| Product Information            |   |
| Unit Size                      | 0.1 ml  |
| Concentration                  | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                        | Store at 4C in the dark. Do not freeze.   |
| Clonality                      | Monoclonal  |
| Clone                          | SPM255  |
| Preservative                   | No Preservative   |
| Isotype                        | IgG2a Kappa   |
| Conjugate                      | CoraFluor 1   |
| Purity                         | Protein A or G purified   |
| Buffer                         | PBS   |
| Product Description            |   |
| Description                    | CoraFluor(TM) 1 is a high performance terbium-based TR-FRET (Time-Resolved Fluorescence Resonance Energy Transfer) or TRF (Time-Resolved Fluorescence) donor for high throughput assay development. CoraFluor(TM) 1 absorbs UV light at approximately 340 nm, and emits at approximately 490 nm, 545 nm, 585 nm and 620 nm. It is compatible with common acceptor dyes that absorb at the emission wavelengths of CoraFluor(TM) 1. CoraFluor(TM) 1 can be used for the development of robust and scalable TR-FRET binding assays such as target engagement, ternary complex, protein-protein interaction and protein quantification assays.  CoraFluor(TM) 1, amine reactive  CoraFluor(TM) 1, thiol reactive  For more information, please see our CoraFluor(TM) TR-FRET technology flyer.   |
| Host                           | Rat   |
| Gene ID                        | 3339  |
| Gene Symbol                    | HSPG2   |
| Species                        | Human, Mouse, Porcine, Bovine, Fish, Monkey   |
| Specificity/Sensitivity        | This monoclonal antibody specifically precipitates heterogeneous material of high MW, identified as perlecan, a major heparan-sulfate proteoglycan (HSPG) within all basement membranes and cell surfaces. It does not cross-react with laminin, fibronectin, or dermatran sulfate proteoglycan. Because of perlecans strategic location and ability to store and protect growth factors, it has been strongly implicated in the control of tumor cell growth and metastatic behavior. Perlecan possesses angiogenic and growth-promoting attributes primarily by acting as a co-receptor for basic fibroblast growth factor (FGF-2). Suppression of perlecan causes substantial inhibition of neoplastic growth and neovascularization. Thus, perlecan is a potent inducer of neoplasm growth and angiogenesis in vivo and therapeutic interventions targeting this key modulator of tumor progression may improve neoplastic treatment. |
| Immunogen                      | Murine EHS laminin preparation  |
|                                |   |



| Notes                       | CoraFluor (TM) is a trademark of Bio-Techne Corp. Sold for research purposes only under agreement from Massachusetts General Hospital. US patent 2022/0025254 |
|-----------------------------|---|
| Product Application Details |   |
| Applications                | Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry, Immunofluorescence                           |
| Recommended Dilutions       | Flow Cytometry, Immunohistochemistry, Immunocytochemistry/<br>Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence                           |
| Application Notes           | Optimal dilution of this antibody should be experimentally determined.  |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-11461CL1**

NBP3-17840PEP Endorepellin/Perlecan/Heparan Sulfate Proteoglycan Recombinant

Protein Antigen

236-EG-200 EGF [Unconjugated]

2364-ER-050 Endorepellin/Perlecan/Heparan Sulfate Proteoglycan [Unconjugated]

210-TA-005 TNF-alpha [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11461CL1

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

