# **Product Datasheet**

# MUC5AC Antibody (9-13M1) [DyLight 488] NBP3-11484G

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11484G

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11484G



# NBP3-11484G

MUC5AC Antibody (9-13M1) [DyLight 488]

| MUCSAC Antibody (9-13M1) [DyLight 488] |   |
|--|---|
| Product Information                    |   |
| Unit Size                              | 0.1 ml  |
| Concentration                          | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                                | Store at 4C in the dark.  |
| Clonality                              | Monoclonal  |
| Clone                                  | 9-13M1  |
| Preservative                           | 0.05% Sodium Azide  |
| Isotype                                | IgG1 Kappa  |
| Conjugate                              | DyLight 488   |
| Purity                                 | Protein A or G purified   |
| Buffer                                 | 50mM Sodium Borate  |
| Product Description                    |   |
| Host                                   | Mouse   |
| Gene ID                                | 4586  |
| Gene Symbol                            | MUC5AC  |
| Species                                | Human   |
| Specificity/Sensitivity                | This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the N-terminal cysteine rich part of the peptide core of MUC5AC, which is heavily glycosylated. Its epitope is destroyed by beta-mercaptoethanol but not by periodate treatment. monoclonal antibody 2-11M1 reacts with the protein backbone exclusively; it only reacts with fully deglycosylated MUC5AC. Therefore, the material under test should also be fully deglycosylated. This can be achieved with standard periodate oxidation method. The success of the deglycosylation can be checked with routine PAS (Periodic Acid Shiff) staining. After deglycosylation, the preparation should no longer be stainable with PAS reagent. Only then 2-11M1 will react should MUC5AC be present. This mucin is present in primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differential identification of primary mucinous ovarian tumors from colon adenocarcinoma metastatic to the ovary. MUC5AC antibodies may also be useful for identification of intestinal metaplasia as well as in the identification of pancreatic carcinoma and pre-cancerous changes vs. normal pancreas. |
| Immunogen                              | M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging to an O Le(a-b) patient   |
| Notes                                  | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   |
| Product Application Details            |   |
| Applications                           | ELISA, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunofluorescence   |
| Recommended Dilutions                  | Flow Cytometry, ELISA, Immunocytochemistry/Immunofluorescence, Immunofluorescence   |
| Application Notes                      | Optimal dilution of this antibody should be experimentally determined.  |
|  |   |





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

Fax: 303.730.1966

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-11484G

NBP1-43319G-0.5ml Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 488]

H00004586-Q01-10ug Recombinant Human MUC5AC GST (N-Term) Protein

210-TA-005 TNF-alpha [Unconjugated]

NBP2-76703 Human MUC5AC ELISA Kit (Colorimetric)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11484G

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



