Product Datasheet

Myeloid-Associated Differentiation Marker Antibody (MYADM/971) [mFluor Violet 500 SE] NBP3-11489MFV500

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11489MFV500

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-11489MFV500



NBP3-11489MFV500

Myeloid-Associated Differentiation Marker Antibody (MYADM/971) [mFluor Violet 500 SE]

Myeloid-Associated Differentiation Marker Antibody (MYADM/971) [mFluor Violet 500 SE]	
Product Information Unit Size 0.1 ml	
0.1 ml	
Please see the vial label for concentration. If unlisted please contact technical services.	
Store at 4C in the dark.	
Monoclonal	
MYADM/971	
0.05% Sodium Azide	
IgG1 Kappa	
mFluor Violet 500 SE	
Protein A or G purified	
50mM Sodium Borate	
Mouse	
91663	
MYADM	
Human, Rhesus Macaque	
Macaque Monkey.	
Myeloid-Associated Differentiation Marker	
Recognizes a myeloid associated differentiation antigen in the cytoplasm of mature granulocytes. It shows no reactivity with any other cell type in human tissues. Markers of myeloid cells are useful in the identification of different levels of cellular differentiation. It reacts with early precursor and mature forms of human and monkey myeloid cells. This monoclonal antibody is useful for the detection of myeloid leukemias and granulocytic sarcomas. It can be used as a marker of granulocytes in normal tissues or inflammatory processes.	
Recombinant full-length human Myeloid-Associated Differentiation Marker protein. (Uniprot: Q96S97)	
mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.	
Product Application Details	
Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence	
Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence	
Optimal dilution of this antibody should be experimentally determined.	
Optimal dilution of this antibody should be experimentally determined.	



Images

Myeloid-Associated Differentiation Marker Antibody (MYADM/971) [mFluor Violet 500 SE] - Vial of mFluor Violet 500 conjugated antibody. mFluor Violet 500 is optimally excited at 410 nm by the Violet laser (405 nm) and has an emission maximum of 501 nm.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-11489MFV500

7954-GM-010/CF GM-CSF [Unconjugated]

203-IL-010 IL-3 [Unconjugated]
214-CS-005 G-CSF [Unconjugated]

H00010875-M01 FGL2/Fibroleukin Antibody (6D9)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11489MFV500

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

