Product Datasheet

HLA DRA Antibody (19-26.1 (same as MB-26.1)) [DyLight 488] NBP3-11518G

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11518G

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-11518G

NBP3-11518G

| NBP3-11518G | | |
|--|---|--|
| HLA DRA Antibody (19-26.1 (same as MB-26.1)) [DyLight 488] | | |
| Product Information | | |
| Unit Size | 0.1 ml | |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. | |
| Storage | Store at 4C in the dark. | |
| Clonality | Monoclonal | |
| Clone | 19-26.1 (same as MB-26.1) | |
| Preservative | 0.05% Sodium Azide | |
| Isotype | IgG2a Kappa | |
| Conjugate | DyLight 488 | |
| Purity | Protein A or G purified | |
| Buffer | 50mM Sodium Borate | |
| Product Description | | |
| Host | Mouse | |
| Gene ID | 3122 | |
| Gene Symbol | HLA-DRA | |
| Species | Human | |
| Specificity/Sensitivity | This monoclonal antibody reacts with the HLA-DR antigen, a member of MHC class II molecules. It does not cross react with HLA-DP and HLA-DQ. HLA-DR is a heterodimeric cell surface glycoprotein comprised of a 36kDa alpha (heavy) chain and a 28kDa beta (light) chain. It is expressed on B-cells, activated T-cells, monocytes/macrophages, dendritic cells and other non-professional APCs. In conjunction with the CD3/TCR complex and CD4 molecules, HLA-DR is critical for efficient peptide presentation to CD4+ T cells. It is an excellent histiocytic marker in paraffin sections producing intense cytoplasmic staining. True histiocytic neoplasms are similarly positive. HLA-DR antigens also occur on a variety of epithelial cells and their corresponding neoplastic counterparts. | |
| Immunogen | Raji cells | |
| Notes | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries. | |
| Product Application Details | | |
| Applications | Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence | |

| | Immunohistochemistry, Immunohistochemistry-Paraffin, Immunofluorescence |
|-------------------|---|
| | Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunofluorescence |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |

www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-11518G

NBP1-96981GMouse IgG2a Kappa Isotype Control (M2AK) [DyLight 488]NBP2-51601-0.1mgRecombinant Human HLA DRA His Protein210-TA-005TNF-alpha [Unconjugated]NBL1-11590HLA DRA Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11518G

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

