Product Datasheet

Chorionic Gonadotropin alpha/beta (hCG) Antibody (HCGab/52) [DyLight 680] NBP3-11526FR

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-11526FR

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-11526FR

NBP3-11526FR

Chorionic Gonadotropin alpha/beta (hCG) Antibody (HCGab/52) [DyLight 680]

ป	
se see the vial label for concentration. If unlisted please contact technical ces.	
at 4C in the dark.	
oclonal	
ab/52	
% Sodium Azide	
Карра	
ght 680	
in A or G purified	
A Sodium Borate	
Product Description	
e	
3	
an	
nancy & Choriocarcinoma Marker	
monoclonal antibody is a very special because it reacts ONLY with the -HCG and not with either free alpha- or free beta-chain of HCG. HCG is a protein and is composed of two non-identical, non-covalently linked	
eptide chains designated as the subunit is identical to that of thyroid lating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing one (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply g pregnancy. HCG monoclonal antibody detects cells and tumors of oblastic origin such as choriocarcinoma. Large cell carcinoma and ocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior.	
lating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing one (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply g pregnancy. HCG monoclonal antibody detects cells and tumors of oblastic origin such as choriocarcinoma. Large cell carcinoma and ocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG	
lating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing one (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply g pregnancy. HCG monoclonal antibody detects cells and tumors of oblastic origin such as choriocarcinoma. Large cell carcinoma and ocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior.	
lating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing one (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply g pregnancy. HCG monoclonal antibody detects cells and tumors of oblastic origin such as choriocarcinoma. Large cell carcinoma and ocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior. ed Chorionic Gonadotropin alpha/beta (hCG) protein	
lating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing one (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply g pregnancy. HCG monoclonal antibody detects cells and tumors of oblastic origin such as choriocarcinoma. Large cell carcinoma and ocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of s respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior. ed Chorionic Gonadotropin alpha/beta (hCG) protein	
lating hormone (TSH) follicle stimulating hormone (FSH), and luteinizing one (LH). HCG is secreted in large quantities by normal trophoblasts. It is ent only in trace amounts in non-pregnant urine and sera but rises sharply g pregnancy. HCG monoclonal antibody detects cells and tumors of oblastic origin such as choriocarcinoma. Large cell carcinoma and ocarcinoma of the lung demonstrate anti-hCG positivity in 90% and 60% of a respectively. 20% of lung squamous cell carcinomas are positive. HCG ession by non-trophoblastic tumors may indicate aggressive behavior. ed Chorionic Gonadotropin alpha/beta (hCG) protein	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-11526FR

NBP1-43319FR-0.5ml	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 680]
314-BP-010	BMP-4 [Unconjugated]
NBP3-18708	Human Chorionic Gonadotropin alpha/beta (hCG) ELISA Kit (Colorimetric)
NB120-15160	Chromogranin A Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-11526FR

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

