

Product Datasheet

Peroxiredoxin 3 Antibody (AT1F8) - BSA Free NBP3-12869-100ul

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-12869

Updated 3/23/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-12869



NBP3-12869-100ul

Peroxiredoxin 3 Antibody (AT1F8) - BSA Free

Product Information

Unit Size	100 ul
Concentration	1 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	AT1F8
Preservative	0.02% Sodium Azide
Isotype	IgG3 Kappa
Purity	Protein A purified
Buffer	PBS (pH 7.4), 10% glycerol

Product Description

Host	Mouse
Gene ID	10935
Gene Symbol	PRDX3
Species	Human
Immunogen	Recombinant human Peroxiredoxin3 (63-256aa) purified from E. coli (Accession number: NP_006784)


Product Application Details

Applications	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence




Images

Western Blot: Peroxiredoxin 3 Antibody (AT1F8) [NBP3-12869] - The recombinant protein (50ng) and cell lysates (40ug) were resolved by SDS-PAGE, transferred to PVDF membrane and probed with NBP3-12869 (1:1000). Proteins were visualized using a goat anti-mouse secondary antibody conjugated to HRP. Lane 1: Recombinant human Peroxiredoxin 3 protein. Lane 2: HeLa cell lysate. Lane 3: HepG2 cell lysate. Lane 4: TF1 cell lysate. Lane 5: U87MG cell lysate. Lane 6: Raji cell lysate. Lane 7: 293T cell lysate. Lane 8: Jurkat cell lysate. Lane 9: MCF7 cell lysate



Immunocytochemistry/Immunofluorescence: Peroxiredoxin 3 Antibody (AT1F8) [NBP3-12869] - HeLa cells were stained with NBP3-12869 (1:100). Alexa Fluor 488-conjugated secondary antibody was used (green). DAPI was stained the cell nucleus (blue).





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-12869

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

