## **Product Datasheet**

# PEX5L Antibody NBP3-13189

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13189

Updated 5/1/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-13189



## NBP3-13189


PEX5L Antibody

| PEXSL Antibody              |   |
|-----------------------------|---|
| Product Information         |   |
| Unit Size                   | 100 ul  |
| Concentration               | Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.        |
| Storage                     | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.                                  |
| Clonality                   | Polyclonal  |
| Preservative                | 0.025% Proclin 300  |
| Isotype                     | IgG   |
| Purity                      | Antigen Affinity-purified   |
| Buffer                      | PBS (pH 7), 20% Glycerol, 1% BSA  |
| Product Description         |   |
| Description                 | Centrifuge briefly prior to opening.  |
| Host                        | Rabbit  |
| Gene ID                     | 51555   |
| Gene Symbol                 | PEX5L   |
| Species                     | Mouse, Rat  |
| Reactivity Notes            | Bovine (85%)  |
| Immunogen                   | Recombinant protein encompassing a sequence within the center region of mouse PEX5L. The exact sequence is proprietary. |
| Product Application Details |   |
| Applications                | Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry   |
| Recommended Dilutions       | Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin   |




### **Images**

Western Blot: PEX5L Antibody [NBP3-13189] - Various tissue extracts (10 ug) were separated by 7.5% SDS-PAGE, and the membrane was blotted with PEX5L antibody (NBP3-13189) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunohistochemistry-Paraffin: PEX5L Antibody [NBP3-13189] - PEX5L antibody detects PEX5L protein at cytoplasm in mouse brain by immunohistochemical analysis. Sample: Paraffin-embedded mouse brain. PEX5L antibody (NBP3-13189) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min







## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-13189**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-38840PEP PEX5L Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13189

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

