Product Datasheet

Smad2 [p Ser465, p Ser467] Antibody NBP3-13273

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13273

Updated 7/18/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-13273



NBP3-13273

Application Notes

Smad2 [p Ser465, p Ser467] Antibody


Smad2 [p Ser465, p Ser467] Antibody	
100 ul	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.025% Proclin 300	
IgG	
Antigen Affinity-purified	
PBS (pH 7), 20% Glycerol, 1% BSA	
52 kDa	
Centrifuge briefly prior to opening.	
Rabbit	
4087	
SMAD2	
Human, Mouse	
Carrier-protein conjugated synthetic peptide surrounding phospho Ser465/Ser467 of human Smad2. The exact sequence is proprietary.	
Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence	
Western Blot 1:500-1:3000, Flow Cytometry, Immunocytochemistry/ Immunofluorescence 1:100-1:1500	

FACS Assay dependent




Images

Western Blot: Smad2 [p Ser465, p Ser467] Antibody [NBP3-13273] - Untreated (-) and treated (+) MCF-7 whole cell extract (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with Smad2 (phospho Ser465/Ser467) antibody (NBP3-13273) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunocytochemistry/Immunofluorescence: Smad2 [p Ser465, p Ser467] Antibody [NBP3-13273] - Smad2 (phospho Ser465/Ser467) antibody detects Smad2 (phospho Ser465/Ser467) protein at nucleus by immunofluorescent analysis. Sample: Mock and treated HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: Smad2 (phospho Ser465/Ser467) stained by Smad2 (phospho Ser465/Ser467) antibody (NBP3-13273) diluted at 1:1500. Red: phalloidin, a cytoskeleton marker, diluted at 1:100. Scale bar= 10 um.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-13273

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBC1-25856-0.1mg Recombinant Human Smad2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13273

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

