# **Product Datasheet**

# JNK1/JNK2 Antibody NBP3-13296

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13296

Updated 10/11/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-13296



## NBP3-13296


JNK1/JNK2 Antibody

SINIC POINTS ANTIBODAY	
100 ul	
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.	
Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.	
Polyclonal	
0.025% Proclin 300	
IgG	
Antigen Affinity-purified	
PBS (pH 7), 20% Glycerol, 1% BSA	
Centrifuge briefly prior to opening.	
Rabbit	
5599	
MAPK8	
Human, Rat	
Xenopus laevis (85%)	
Recombinant protein encompassing a sequence within the C-terminus region of human JNK1/JNK21 + JNK1/JNK22. The exact sequence is proprietary.	
Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	




### **Images**


Western Blot: JNK1/JNK2 Antibody [NBP3-13296] - Various whole cell and tissue extracts were separated by 10% SDS-PAGE, and the membrane was blotted with JNK1/JNK2 antibody (NBP3-13296) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.



Immunohistochemistry-Paraffin: JNK1/JNK2 Antibody [NBP3-13296] - JNK1/JNK2 antibody detects JNK1/JNK2 protein at cytoplasm and nucleus by immunohistochemical analysis. Sample: Paraffin-embedded human breast carcinoma. JNK1/JNK2 stained by JNK1/JNK2 antibody (NBP3-13296) diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Western Blot: JNK1/JNK2 Antibody [NBP3-13296] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with JNK1/JNK2 antibody (NBP3-13296) diluted at 1:1000. The HRP-conjugated antirabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP3-13296**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control 210-TA-005 TNF-alpha [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13296

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

