Product Datasheet

QKI/Quaking Antibody (GT1589) NBP3-13575

Unit Size: 100 ul

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-13575

Updated 3/7/2022 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-13575



NBP3-13575


QKI/Quaking Antibody (GT1589)

QNI/Quaking Antibody (OT 150	50)
Product Information	
Unit Size	100 ul
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	GT1589
Preservative	No Preservative
Isotype	IgG1
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Mouse
Gene ID	9444
Gene Symbol	QKI
Species	Human, Mouse, Rat
Immunogen	Recombinant protein encompassing a sequence within the center region of human QKI/Quaking. The exact sequence is proprietary.
Notes	Centrifuge briefly prior to opening.
Product Application Details	
Applications	Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot, Flow Cytometry 0.5ug/5x10^5cells~, Immunohistochemistry,

5ug/ml, Immunohistochemistry-Frozen

Images


Western Blot: QKI/Quaking Antibody (GT1589) [NBP3-13575] - Non-transfected (-) and transfected (+) 293T whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with QKI/Quaking antibody [GT1589] (NBP3-13575) diluted at 1:5000. The HRP-conjugated anti-mouset IgG antibody (NBP2-19382) was used to detect the primary antibody.






Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin


Immunocytochemistry/Immunofluorescence: QKI/Quaking Antibody (GT1589) [NBP3-13575] - QKI/Quaking antibody [GT1589] detects QKI/Quaking protein at cytoplasm and nucleus by immunofluorescent analysis. Sample: SK-N-AS cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: QKI/Quaking protein stained by QKI/Quaking antibody [GT1589] (NBP3-13575) diluted at 1:500. Blue: Hoechst 33342 staining. Scale bar = 10 um.




Immunohistochemistry-Frozen: QKI/Quaking Antibody (GT1589) [NBP3-13575] - QKI/Quaking antibody [GT1589] detects QKI/Quaking protein expression by immunohistochemical analysis. Sample: Frozen-sectioned adult mouse cerebellum. Green: QKI/Quaking protein stained by QKI/Quaking antibody [GT1589] (NBP3-13575) diluted at 1:250. Red: Calbindin, stained by Calbindin antibody diluted at 1:500. Blue: Fluoroshield with DAPI.




Western Blot: QKI/Quaking Antibody (GT1589) [NBP3-13575] - Whole cell extract (30 ug) was separated by 10% SDS-PAGE, and the membrane was blotted with QKI/Quaking antibody [GT1589] (NBP3-13575) diluted at 1:3000.



Immunohistochemistry-Paraffin: QKI/Quaking Antibody (GT1589) [NBP3-13575] - QKI/Quaking antibody [GT1589] detects QKI/Quaking protein at cytoplasm and nucleus in mouse brain by immunohistochemical analysis. Sample: Paraffin-embedded mouse brain. QKI/Quaking antibody [GT1589] (NBP3-13575) diluted at 1:200. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min



Immunohistochemistry-Paraffin: QKI/Quaking Antibody (GT1589) [NBP3-13575] - QKI/Quaking antibody [GT1589] detects QKI/Quaking protein at cytoplasm and nucleus in rat brain by immunohistochemical analysis. Sample: Paraffin-embedded rat brain. QKI/Quaking antibody [GT1589] (NBP3-13575) diluted at 1:200. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: technical@novusbio.com

Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP3-13575

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP (Horseradish

Peroxidase)1

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-97005-0.5mg Mouse IgG1 Isotype Control (MG1)

NBP2-23390 Recombinant Human QKI/Quaking His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-13575

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

