# **Product Datasheet**

# CD173 Antibody (A51-B/A6) [mFluor Violet 450 SE] NBP3-14046MFV450

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-14046MFV450

Updated 11/11/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-14046MFV450



#### NBP3-14046MFV450

**Application Notes** 

CD173 Antibody (A51-B/A6) [mFluor Violet 450 SE]	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	A51-B/A6
Preservative	0.05% Sodium Azide
Isotype	IgA
Conjugate	mFluor Violet 450 SE
Purity	PEG purified
Buffer	50mM Sodium Borate
<b>Product Description</b>	
Host	Mouse
Species	Human
Reactivity Notes	Others not known.
Specificity/Sensitivity	This antibody reacts with H type 2 blood group epitope Fuca1-2 Galb1-4 GlcNAc. It does not cross-react with human blood group H type 1, 3 or 4, nor with the closely related type 2 antigen Ley and Lex. Blood-group antigens are generally defined as molecules formed by sequential addition of saccharides to the carbohydrate side chains of lipids and proteins detected on erythrocytes and certain epithelial cells. The A, B and H antigens are reported to undergo modulation during malignant cellular trans- formation. Blood group related antigens are usually mucin-type and are detected on erythrocytes, certain epithelial cells and in secretions of certain individuals. Sixteen genetically and biosynthetically distinct but inter-related specificities belong to this group of antigens, including A (1 and 2), B, H (1 and 2), M, N, Lewis A, Lewis B, Lewis X, Lewis Y and precursor type 1 chain antigens. The expressions of the H1 and H2 in different cell types are con- trolled by different genes.
Immunogen	Human breast cancer MCF-7 cells
Notes	mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.
<b>Product Application Details</b>	
Applications	Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin



Optimal dilution of this antibody should be experimentally determined.



# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

# **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-14046MFV450

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

