

Product Datasheet

p40/deltaNp63 Antibody (P40/4396R) [Allophycocyanin] NBP3-14050APC

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-14050APC

Updated 10/26/2023 v.20.1

**Earn rewards for product
reviews and publications.**

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-14050APC



NBP3-14050APC

p40/deltaNp63 Antibody (P40/4396R) [Allophycocyanin]

| Product Information | |
|---------------------|---|
| Unit Size | 0.1 ml |
| Concentration | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage | Store at 4C in the dark. |
| Clonality | Monoclonal |
| Clone | P40/4396R |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG Kappa |
| Conjugate | Allophycocyanin |
| Purity | Protein A purified |
| Buffer | PBS |

| Product Description | |
|-------------------------|--|
| Host | Rabbit |
| Gene ID | 8626 |
| Gene Symbol | TP63 |
| Species | Human |
| Marker | Squamous, Basal & Myoepithelial Cell Marker |
| Specificity/Sensitivity | p40 antibody (antibody recognizing Np63 only) is an isoform of p63, is thought to function as a stem cell factor, responsible for maintaining cells in an uncommitted state with regenerative potential a role that may be recapitulated in tumors derived from these cells. p40 is normally expressed in the basal or progenitor cell layer of stratified epithelia (eg. squamous, urothelial, bronchial), basal cells of some glandular epithelia (eg. prostate), as well as myoepithelial cells of breast and salivary glands, trophoblasts and thymic epithelial cells. In tumor tissues, p40 expression is specific for squamous cell carcinoma. p40 is equivalent to p63 in sensitivity for lung squamous cell carcinoma, but it is markedly superior to p63 in specificity, which eliminates a potential pitfall of misinterpreting a p63-positive adenocarcinoma or unsuspected lymphoma as squamous cell carcinoma. p40 appears to be a more reliable marker for squamous cell carcinoma. |
| Immunogen | Recombinant fragment (around aa1-100) of human p40/deltaNp63 protein (exact sequence is proprietary) (Uniprot: Q9H3D4) |

| Product Application Details | |
|-----------------------------|--|
| Applications | ELISA, Flow Cytometry, Immunohistochemistry-Paraffin |
| Recommended Dilutions | Flow Cytometry, ELISA, Immunohistochemistry-Paraffin |
| Application Notes | Optimal dilution of this antibody should be experimentally determined. |





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: technical@novusbio.com
Orders: orders@novusbio.com
General: novus@novusbio.com

Products Related to NBP3-14050APC

| | |
|------------|--------------------------|
| 210-TA-005 | TNF-alpha [Unconjugated] |
| 285-IF-100 | IFN-gamma [Unconjugated] |
| DY417-05 | IL-10 [Biotin] |
| 419-ML-010 | IL-12 [Unconjugated] |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-14050APC

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

