Product Datasheet

Annexin A2 Antibody (1W2B5) NBP3-15360-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-15360

Updated 7/31/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-15360



NBP3-15360-100ul

Annexin A2 Antibody (1W2B5)


Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	1W2B5
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.3), 50% glycerol, 0.05% BSA
Product Description	

	(i // 5)	
Product Description		
Host	Rabbit	
Gene ID	302	
Gene Symbol	ANXA2	
Species	Human, Mouse, Rat	
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human Annexin A2 (P07355). MSTVHEILCKLSLEGDHSTPPSAYGSVKAYTNFDAERDALNIETAIKTKGVDEVT IVNILTNRSNAQRQDIAFAYQRRTKKELASALKSALSGHLETVIL	

Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500 - 1:2000, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin

Images


Western Blot: Annexin A2 Antibody (1W2B5) [NBP3-15360] - Western blot analysis of extracts of various cell lines, using Annexin A2 Rabbit mAb (NBP3-15360) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.




Page 2 of 5 v.20.1 Updated 7/31/2025 Immunohistochemistry-Paraffin: Annexin A2 Antibody (1W2B5) [NBP3-15360] - Immunohistochemistry of paraffin-embedded mouse testis using Annexin A2 Rabbit mAb (NBP3-15360) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol. Immunohistochemistry-Paraffin: Annexin A2 Antibody (1W2B5) [NBP3-15360] - Immunohistochemistry of paraffin-embedded rat ovary using Annexin A2 Rabbit mAb (NBP3-15360) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol. Immunohistochemistry-Paraffin: Annexin A2 Antibody (1W2B5) [NBP3-15360] - Immunohistochemistry of paraffin-embedded human esophageal using Annexin A2 Rabbit mAb (NBP3-15360) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol. Immunohistochemistry: Annexin A2 Antibody (1W2B5) [Annexin A2] -Immunohistochemistry analysis of paraffin-embedded Mouse spleen tissue using Annexin A2 Rabbit mAb at a dilution of 1:800 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.




Immunohistochemistry: Annexin A2 Antibody (1W2B5) [Annexin A2] - Immunohistochemistry analysis of paraffin-embedded Human cervix cancer tissue using Annexin A2 Rabbit mAb at a dilution of 1:800 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.




Immunohistochemistry: Annexin A2 Antibody (1W2B5) [Annexin A2] - Immunohistochemistry analysis of paraffin-embedded Human colon carcinoma tissue using Annexin A2 Rabbit mAb at a dilution of 1:800 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.




Immunohistochemistry: Annexin A2 Antibody (1W2B5) [Annexin A2] - Immunohistochemistry analysis of paraffin-embedded Mouse colon tissue using Annexin A2 Rabbit mAb at a dilution of 1:800 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.



Immunohistochemistry: Annexin A2 Antibody (1W2B5) [Annexin A2] - Immunohistochemistry analysis of paraffin-embedded Rat colon tissue using Annexin A2 Rabbit mAb at a dilution of 1:800 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.



Immunohistochemistry: Annexin A2 Antibody (1W2B5) [Annexin A2] - Immunohistochemistry analysis of paraffin-embedded Mouse liver tissue using Annexin A2 Rabbit mAb at a dilution of 1:800 (40x lens). High pressure antigen retrieval performed with 0.01M Citrate Bufferr (pH 6.0) prior to IHC staining.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-15360-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-37086 Recombinant Human Annexin A2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-15360

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

