Product Datasheet

MCM3 Antibody (9Z5W4) NBP3-15386-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-15386

Updated 4/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-15386




NBP3-15386-100ul

MCM3 Antibody (9Z5W4)

Welvie / Titilibedy (52577)	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	9Z5W4
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 0.05% BSA, 50% glycerol, pH7.3
Target Molecular Weight	91 kDa
Product Description	
Host	Rabbit
Gene ID	4172
Gene Symbol	MCM3
Species	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human MCM3 (P25205). MAGTVVLDDVELREAQRDYLDFLDDEEDQGIYQSKVRELISDNQYRLIVNVNDL RRKNEKRANRLLNNAFEELVAFQRALKDFVASIDATYAKQYEEFYV
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500 - 1:1000, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200, Immunoprecipitation .5ug-4ug antibody for 200ug-400ug extracts of whole cells, Immunohistochemistry-Paraffin


Images

Western Blot: MCM3 Antibody (9Z5W4) [NBP3-15386] - Western blot analysis of extracts of Mouse spleen, using MCM3 Rabbit mAb (NBP3-15386) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 3min.







Immunocytochemistry/Immunofluorescence: MCM3 Antibody (9Z5W4) [NBP3-15386] - Immunofluorescence analysis of NIH-3T3 cells using MCM3 Rabbit mAb (NBP3-15386) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.




Immunohistochemistry-Paraffin: MCM3 Antibody (9Z5W4) [NBP3-15386] - Immunohistochemistry of paraffin-embedded human liver cancer using MCM3 Rabbit mAb (NBP3-15386) at dilution of 1:100 (40x lens).Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



Western Blot: MCM3 Antibody (9Z5W4) [NBP3-15386] - Western blot analysis of extracts of various cell lines, using MCM3 Rabbit mAb (NBP3 -15386) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.




Immunocytochemistry/Immunofluorescence: MCM3 Antibody (9Z5W4) [NBP3-15386] - Immunofluorescence analysis of HeLa cells using MCM3 Rabbit mAb (NBP3-15386) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.






Immunohistochemistry-Paraffin: MCM3 Antibody (9Z5W4) [NBP3-15386] - Immunohistochemistry of paraffin-embedded rat spleen using MCM3 Rabbit mAb (NBP3-15386) at dilution of 1:100 (40x lens).Perform microwave antigen retrieval with 10 mM PBS buffer pH 7.2 before commencing with IHC staining protocol.



Immunoprecipitation: MCM3 Antibody (9Z5W4) [NBP3-15386] - Immunoprecipitation analysis of 300ug extracts of HeLa cells using 3ug MCM3 antibody (NBP3-15386). Western blot was performed from the immunoprecipitate using MCM3 antibody (NBP3-15386) at a dilition of 1:1000.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-15386-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00004172-Q01-10ug Recombinant Human MCM3 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-15386

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

