# **Product Datasheet**

## IGFBP-L1 Antibody - Azide and BSA Free NBP3-15487-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-15487

Updated 11/7/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-15487



#### NBP3-15487-100ul


IGFBP-L1 Antibody - Azide and BSA Free

| Product Information         |  |
|-----------------------------|--|
| Unit Size                   | 100 ul   |
| Concentration               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage                     | Store at -20C. Avoid freeze-thaw cycles.   |
| Clonality                   | Polyclonal   |
| Preservative                | 0.01% Thimerosal   |
| Isotype                     | IgG  |
| Purity                      | Affinity purified  |
| Buffer                      | PBS, 50% glycerol, pH7.3   |
| Product Description         |  |
| Host                        | Rabbit   |
| Gene ID                     | 347252   |
| Gene Symbol                 | IGFBPL1  |
| Species                     | Human, Mouse, Rat  |
| Immunogen                   | A synthetic peptide corresponding to a sequence within amino acids 150-250 of<br>human IGFBP-L1 (NP_001007564.1).<br>PCEFAPVVVVPPRSVHNVTGAQVGLSCEVRAVPTPVITWRKVTKSPEGTQALE<br>ELPGDHVNIAVQVRGGPSDHEATAWILINPLRKEDEGVYQCHAANMVG |
| Product Application Details |  |

| Applications                 | Western Blot                |
|------------------------------|-----------------------------|
| <b>Recommended Dilutions</b> | Western Blot 1:500 - 1:2000 |

#### Images

Western Blot: IGFBP-L1 Antibody [NBP3-15487] - Western blot analysis of extracts of various cell lines, using IGFBP-L1 antibody (NBP3-15487) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 300s.









### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-15487-100ul

| HAF008     | Goat anti-Rabbit IgG Secondary Antibody [HRP]       |
|------------|---|
| NB7160     | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP2-24891 | Rabbit IgG Isotype Control                          |
| M6000B-1   | IL-6 [HRP]  |
|            |   |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-15487

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

