## **Product Datasheet**

# Talin2 Antibody (7D1Y0) NBP3-15932-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-15932

Updated 7/31/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-15932




#### NBP3-15932-100ul

Talin2 Antibody (7D1Y0)


100 ul
Please see the vial label for concentration. If unlisted please contact technical services.
Store at -20C. Avoid freeze-thaw cycles.
Monoclonal
7D1Y0
0.02% Sodium Azide
IgG
Affinity purified
PBS (pH 7.3), 50% glycerol, 0.05% BSA
272 kDa
Rabbit
83660
TLN2
Human, Mouse, Rat
A synthetic peptide corresponding to a sequence within amino acids 350-450 of human Talin2 (Q9Y4G6). VLQEWPLTTVKRWAASPKSFTLDFGEYQESYYSVQTTEGEQISQLIAGYIDIILK KKQSKDRFGLEGDEESTMLEESVSPKKSTILQQQFNRTGKAEHGSV
Western Blot, Immunohistochemistry-Paraffin, ELISA, Immunocytochemistry/Immunofluorescence, Immunohistochemistry
Western Blot 1:1000 - 1:6000, ELISA Recommended starting concentration is 1 ug/mL, Immunohistochemistry 1:500 - 1:2000, Immunocytochemistry/Immunofluorescence 1:100 - 1:400, Immunohistochemistry-Paraffin 1:500 - 1:2000

## **Images**


Western Blot: Talin2 Antibody (7D1Y0) [NBP3-15932] - Western blot analysis of extracts of various cell lines, using Talin2 Rabbit mAb (NBP3-15932) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.




Immunohistochemistry: Talin2 Antibody (7D1Y0) [Talin2] - Immunohistochemistry analysis of paraffin-embedded Human colon carcinoma tissue using Talin2 Rabbit mAb at a dilution of 1:500 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.




Immunocytochemistry/ Immunofluorescence: Talin2 Antibody (7D1Y0) [Talin2] - Confocal imaging of paraffin-embedded Mouse brain tissue using Talin2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) . DAPI was used for nuclear staining (Blue). Objective: 40x. Perform microwave antigen retrieval with 0.01 M citrate buffer (pH 6.0) prior to IF staining.




Immunohistochemistry: Talin2 Antibody (7D1Y0) [Talin2] - Immunohistochemistry analysis of paraffin-embedded Human liver cancer tissue using Talin2 Rabbit mAb at a dilution of 1:500 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.




Immunohistochemistry: Talin2 Antibody (7D1Y0) [Talin2] - Immunohistochemistry analysis of paraffin-embedded Human kidney tissue using Talin2 Rabbit mAb at a dilution of 1:500 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.



Immunocytochemistry/ Immunofluorescence: Talin2 Antibody (7D1Y0) [Talin2] - Confocal imaging of paraffin-embedded Rat brain tissue using Talin2 Rabbit mAb followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) . DAPI was used for nuclear staining (Blue). Objective: 40x. Perform microwave antigen retrieval with 0.01 M citrate buffer (pH 6.0) prior to IF staining.



Immunohistochemistry: Talin2 Antibody (7D1Y0) [Talin2] - Immunohistochemistry analysis of paraffin-embedded Human liver tissue using Talin2 Rabbit mAb at a dilution of 1:500 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-15932-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-62623PEP Talin2 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-15932

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

