# **Product Datasheet**

# Histone H3 [Monomethyl Lys14] Antibody - Azide and BSA Free NBP3-15944-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-15944

Updated 11/7/2023 v.20.1

Earn rewards for product reviews and publications.


Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-15944



# NBP3-15944-100ul


Histone H3 [Monomethyl Lys14] Antibody - Azide and BSA Free

Historie H3 [Monomethyl Lys14] Antibody - Azide and BSA Free	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 50% glycerol, pH7.3
Product Description	
Host	Rabbit
Gene ID	126961
Gene Symbol	H3C14
Species	Human, Mouse, Rat
Immunogen	A synthetic monomethylated peptide around K14 of human MonoMethyl-Histone H3-K14 (NP_003520.1). PRKQL
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence




#### **Images**


Western Blot: Histone H3 [Monomethyl Lys14] Antibody [NBP3-15944] - Western blot analysis of extracts of various cell lines, using Histone H3 antibody (NBP3-15944) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.



Immunocytochemistry/Immunofluorescence: Histone H3 [Monomethyl Lys14] Antibody [NBP3-15944] - Immunofluorescence analysis of U-2 OS cells using Histone H3 pAb (NBP3-15944) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunocytochemistry/Immunofluorescence: Histone H3 [Monomethyl Lys14] Antibody [NBP3-15944] - Immunofluorescence analysis of NIH-3T3 cells using Histone H3 pAb (NBP3-15944) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-15944-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB21-1002PEP Histone H3 [Asym-dimethyl Arg2] Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-15944

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

