

Product Datasheet

Activin RIB/ALK-4 Antibody (3U6I8) NBP3-16106-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP3-16106

Updated 1/7/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP3-16106



NBP3-16106-100ul

Activin RIB/ALK-4 Antibody (3U6I8)

Product Information

Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	3U6I8
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 0.05% BSA, 50% glycerol, pH7.3

Product Description


Host	Rabbit
Gene ID	91
Gene Symbol	ACVR1B
Species	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human Activin RIB/ALK-4 (P36896). MAESAGASSFFPLVVLLLAGSGGSGPRGVQALLCACTSCLQANYTCETDGAC MVSIFNLDGMEHHVRTCIPKVELVPAGKPFYCLSSDLRNTHCCYTDY

Product Application Details


Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500 - 1:2000, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200, Immunohistochemistry-Paraffin

Images


Western Blot: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Western blot analysis of extracts of various cell lines, using Activin RIB/ALK-4 Rabbit mAb (NBP3-16106) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 3min.




Immunohistochemistry-Paraffin: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Immunohistochemistry of paraffin-embedded mouse brain using Activin RIB/ALK-4 Rabbit mAb (NBP3-16106) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.




Immunohistochemistry-Paraffin: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Immunohistochemistry of paraffin-embedded rat testis using Activin RIB/ALK-4 Rabbit mAb (NBP3-16106) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.




Immunohistochemistry-Paraffin: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Immunohistochemistry of paraffin-embedded human liver using Activin RIB/ALK-4 Rabbit mAb (NBP3-16106) at dilution of 1:100 (40x lens). Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.




Immunocytochemistry/Immunofluorescence: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] -Confocal imaging of NIH/3T3 cells using ACVR1B Rabbit mAb (dilution 1:100) followed by a further incubation with Cy3 Goat Anti-Rabbit IgG (H+L) (dilution 1:500) (Red). The cells were counterstained with α -Tubulin Mouse mAb (dilution 1:400) followed by incubation with ABflo® 488-conjugated Goat Anti-Mouse IgG (H+L) Ab (dilution 1:500) (Green). DAPI was used for nuclear staining (Blue). Objective: 100x.




Immunohistochemistry-Paraffin: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Mouse testis tissue using ACVR1B Rabbit mAb at a dilution of 1:200 (40x lens).High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry-Paraffin: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Mouse kidney tissue using ACVR1B Rabbit mAb at a dilution of 1:200 (40x lens).High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry-Paraffin: Activin RIB/ALK-4 Antibody (3U6I8) [NBP3-16106] - Human colon tissue using ACVR1B Rabbit mAb at a dilution of 1:200 (40x lens).High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP3-16106-100ul

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-39003PEP	Activin RIB/ALK-4 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16106

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

