# **Product Datasheet**

# Histone H4 [Lactyl Lys5] Antibody - Azide and BSA Free NBP3-16137-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16137

Updated 8/19/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-16137



## NBP3-16137-100ul

Histone H4 [Lactyl Lys5] Antibody - Azide and BSA Free

Thistorie 114 [Lactyr Lyso] Artibody - Azide and BOA Free	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Proclin 300
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.3), 50% glycerol
Target Molecular Weight	11 kDa
Product Description	
Host	Rabbit
Gene ID	121504
Gene Symbol	H4C16
Species	Human, Mouse, Rat
Reactivity Notes	(Wide Range Predicted)
Immunogen	A synthetic lactylated peptide around K5 of human Histone H4 (NP_003539.1). GRGKG
Product Application Details	
Applications	Western Blot, Dot Blot, ELISA
Recommended Dilutions	Western Blot 1:500 - 1:2000, ELISA Recommended starting concentration is 1

μg/mL., Dot Blot 1:500 - 1:4000



Western Blot: Histone H4 [Lactyl Lys5] Antibody - Azide and BSA Free [NBP3-16137] - Western blot analysis of lysates from NIH/3T3 cells, using Histone H4 Rabbit pAb at 1:1000 dilution. NIH/3T3 cells were treated by Sodium lactate(100mM) for 24h.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at


1:10000 dilution.

Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit.

Exposure time: 60s.



Western Blot: Histone H4 [Lactyl Lys5] Antibody - Azide and BSA Free [NBP3-16137] - Western blot analysis of lysates from C6 cells, using Histone H4 Rabbit pAb at 1:1000 dilution. C6 cells were treated by Sodium lactate(100mM) for 24h.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at


1:10000 dilution.

Lysates/proteins: 25ug per lane.

Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit.

Exposure time: 60s.



Western Blot: Histone H4 [Lactyl Lys5] Antibody - Azide and BSA Free [NBP3-16137] - Western blot analysis of lysates from MCF7 cells, using Histone H4 Rabbit pAb at 1:1000 dilution. MCF7 cells were treated by Sodium lactate(100mM) for 24h.

Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) at


1:10000 dilution.

Lysates/proteins: 25ug per lane.


Blocking buffer: 3% nonfat dry milk in TBST.

Detection: ECL Enhanced Kit.

Exposure time: 60s.



Dot Blot: Histone H4 [Lactyl Lys5] Antibody [NBP3-16137] - Dot-blot analysis of all sorts of peptides using Histone H4 antibody (NBP3-16137) HAKSac at 1:4000 dilution.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP3-16137-100ul**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NB21-2090PEP Histone H4 [Trimethyl Lys20] Antibody Blocking Peptide

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16137

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

