Product Datasheet

Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) NBP3-16595-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16595

Updated 11/7/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-16595




NBP3-16595-100ul

Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9)

Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	3J2O9
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS, 0.05% BSA, 50% glycerol, pH7.3
Product Description	
Host	Rabbit
Gene ID	1738
Gene Symbol	DLD
Species	Human, Mouse, Rat
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 401-500 of human Dihydrolipoamide Dehydrogenase/DLD (P09622). WVGKSEEQLKEEGIEYKVGKFPFAANSRAKTNADTDGMVKILGQKSTDRVLGA HILGPGAGEMVNEAALALEYGASCEDIARVCHAHPTLSEAFREANLA
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 1:500 - 1:1000, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200, Immunohistochemistry-Paraffin
Images	
Western Blot: Dihydrolipoamide D	Dehydrogenase/DLD Antibody (3J2O9)

Western Blot: Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) [NBP3-16595] - Western blot analysis of extracts of various cell lines, using Dihydrolipoamide Dehydrogenase/DLD Rabbit mAb (NBP3-16595) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 1s.






Immunocytochemistry/Immunofluorescence: Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) [NBP3-16595] -Immunofluorescence analysis of U-2 OS cells using Dihydrolipoamide Dehydrogenase/DLD Rabbit mAb (NBP3-16595) at dilution of 1:100 (40x Iens). Blue: DAPI for nuclear staining.

Immunohistochemistry-Paraffin: Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) [NBP3-16595] - Immunohistochemistry of paraffinembedded mouse kidney using Dihydrolipoamide Dehydrogenase/DLD Rabbit mAb (NBP3-16595) at dilution of 1:100 (40x lens).Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.


Immunocytochemistry/Immunofluorescence: Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) [NBP3-16595] -Immunofluorescence analysis of NIH-3T3 cells using Dihydrolipoamide Dehydrogenase/DLD Rabbit mAb (NBP3-16595) at dilution of 1:100 (40x Iens). Blue: DAPI for nuclear staining.


Immunohistochemistry-Paraffin: Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) [NBP3-16595] - Immunohistochemistry of paraffinembedded rat kidney using Dihydrolipoamide Dehydrogenase/DLD Rabbit mAb (NBP3-16595) at dilution of 1:100 (40x lens).Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.












Immunohistochemistry-Paraffin: Dihydrolipoamide Dehydrogenase/DLD Antibody (3J2O9) [NBP3-16595] - Immunohistochemistry of paraffinembedded human colon using Dihydrolipoamide Dehydrogenase/DLD Rabbit mAb (NBP3-16595) at dilution of 1:100 (40x lens).Perform microwave antigen retrieval with 10 mM Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.



www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP3-16595-100ul

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-13926PEP	Dihydrolipoamide Dehydrogenase/DLD Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16595

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

