## **Product Datasheet**

# Bub3 Antibody (10G1S6) NBP3-16709-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16709

Updated 7/31/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-16709



#### NBP3-16709-100ul


Bub3 Antibody (10G1S6)

Page 7 this body (100 100)	
Product Information	
Unit Size	100 ul
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	10G1S6
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Affinity purified
Buffer	PBS (pH 7.3), 50% glycerol, 0.05% BSA
Product Description	
Host	Rabbit
Gene ID	9184
Gene Symbol	BUB3
Species	Human, Mouse, Rat
Immunogen	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human Bub3 (O43684). MTGSNEFKLNQPPEDGISSVKFSPNTSQFLLVSSWDTSVRLYDVPANSMRLKY QHTGAVLDCAFYDPTHAWSGGLDHQLKMHDLNTDQENLVGTHDAPIR
Product Application Details	
Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry
Recommended Dilutions	Western Blot 1:500 - 1:2000, Immunohistochemistry 1:50 - 1:200, Immunocytochemistry/ Immunofluorescence 1:50 - 1:200,

Immunohistochemistry-Paraffin

## **Images**


Western Blot: Bub3 Antibody (10G1S6) [NBP3-16709] - Western blot analysis of extracts of various cell lines, using Bub3 Rabbit mAb (NBP3-16709) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 90s.




Page 2 of 5 v.20.1 Updated 7/31/2025 Immunocytochemistry/Immunofluorescence: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunofluorescence analysis of U-2 OS cells using Bub3 Rabbit mAb (NBP3-16709) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining. Immunocytochemistry/Immunofluorescence: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunofluorescence analysis of C6 cells using Bub3 Rabbit mAb (NBP3-16709) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining. Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] -Immunohistochemistry analysis of Bub3 in paraffin-embedded rat brain tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining. Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] -Immunohistochemistry analysis of Bub3 in paraffin-embedded human colon carcinoma tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.




Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunohistochemistry analysis of Bub3 in paraffin-embedded human colon tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.




Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunohistochemistry analysis of Bub3 in paraffin-embedded mouse brain tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.




Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunohistochemistry analysis of Bub3 in paraffin-embedded rat spleen tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunohistochemistry analysis of Bub3 in paraffin-embedded mouse lung tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.



Immunohistochemistry: Bub3 Antibody (10G1S6) [NBP3-16709] - Immunohistochemistry analysis of Bub3 in paraffin-embedded rat colon tissue using Bub3 Rabbit mAb at a dilution of 1:200 (40x lens). High pressure antigen retrieval was performed with 0.01 M citrate buffer (pH 6.0) prior to IHC staining.





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-16709-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-22719 Recombinant Human Bub3 His Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16709

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

