# **Product Datasheet**

# Carm1 [p Ser228] Antibody - Azide and BSA Free NBP3-16892-100ul

Unit Size: 100 ul

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-16892

Updated 11/7/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-16892



#### NBP3-16892-100ul

Carm1 [p Ser228] Antibody - Azide and BSA Free


| Product Information |   |
|---------------------|---|
| Unit Size           | 100 ul  |
| Concentration       | Please see the vial label for concentration. If unlisted please contact technical services. |
| Storage             | Store at -20C. Avoid freeze-thaw cycles.  |
| Clonality           | Polyclonal  |
| Preservative        | 0.01% Thimerosal  |
| Isotype             | IgG   |
| Purity              | Affinity purified   |
| Buffer              | PBS, 50% glycerol, pH7.3  |
| Product Description |   |
| Host                | Rabbit  |
|                     |   |

| Product Description |  |
|---------------------|--|
| Host                | Rabbit   |
| Gene ID             | 10498  |
| Gene Symbol         | CARM1  |
| Species             | Human  |
| Immunogen           | A synthetic phosphorylated peptide around S228 of human PRMT4/CARM1 (NP_954592.1). VKSNN |

| Product Application Details |                             |
|-----------------------------|-----------------------------|
| Applications                | Western Blot                |
| Recommended Dilutions       | Western Blot 1:500 - 1:1000 |

#### **Images**

Western Blot: Carm1 [p Ser228] Antibody [NBP3-16892] - Western blot analysis of extracts of Jurkat cells, using Carm1 antibody (NBP3-16892) at 1:1000 dilution. Jurkat cells were treated by Calyculin A (100 nM) at 37C for 30 minutes. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit. Exposure time: 10s.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### Products Related to NBP3-16892-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00010498-Q01-10ug Recombinant Human Carm1 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-16892

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

