## **Product Datasheet**

### Myosin heavy chain 11 Antibody (MYH11/7610R) NBP3-20494-100ug

Unit Size: 100 ug

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-20494

Updated 7/16/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-20494



#### NBP3-20494-100ug


Myosin heavy chain 11 Antibody (MYH11/7610R)

|                             | · · · · · · · · · · · · · · · · · · ·  |
|-----------------------------|--|
| Product Information         |  |
| Unit Size                   | 100 ug   |
| Concentration               | 0.2 mg/ml  |
| Storage                     | Store at 4C. Do not freeze.  |
| Clonality                   | Monoclonal   |
| Clone                       | MYH11/7610R  |
| Preservative                | 0.05% Sodium Azide   |
| Isotype                     | IgG Kappa  |
| Purity                      | Protein A or G purified  |
| Buffer                      | 10mM PBS with 0.05% BSA  |
| Product Description         |  |
|                             | Positive Controls: Human smooth muscle, uterus or breast.<br>Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to<br>-80C. Non-hazardous. No MSDS required.  |
| Host                        | Rabbit   |
| Gene ID                     | 4629   |
| Gene Symbol                 | MYH11  |
| Species                     | Human  |
|                             | Recombinant fragment (around aa1-200) of human Myosin heavy chain 11 protein (exact sequence is proprietary)   |
| Product Application Details |  |
| Applications                | Immunohistochemistry-Paraffin  |
| Recommended Dilutions       | Immunohistochemistry-Paraffin 1-2 ug/ml  |
|                             | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes. at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. |

Optimal dilution for a specific application should be determined.

#### Images

Formalin-fixed, paraffin-embedded human smooth muscle stained with Myosin heavy chain 11 antibody (MYH11/7610R). HIER: Tris/EDTA, pH9.0, 45min. Secondary: HRP-polymer, 30min. DAB, 5min.







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP3-20494-100ug

| HAF008             | Goat anti-Rabbit IgG Secondary Antibody [HRP]       |
|--------------------|---|
| NB7160             | Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP] |
| NBP1-87026PEP      | Myosin heavy chain 11 Recombinant Protein Antigen   |
| H00027130-P02-10ug | Recombinant Human Inversin GST (N-Term) Protein     |
|                    |   |

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-20494

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

