Product Datasheet

CD99 Antibody (rMIC2/8497) - Azide and BSA Free NBP3-21118

Unit Size: 100 ug

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-21118

Updated 7/16/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP3-21118



NBP3-21118

CD99 Antibody (rMIC2/8497) - Azide and BSA Free

| Obstantibody (Intio2/0437) Neide and Box 1 rec | | |
|--|---|--|
| Product Information | | |
| Unit Size | 100 ug | |
| Concentration | 1 mg/ml | |
| Storage | Store at -20 to -70C. Avoid freeze-thaw cycles. | |
| Clonality | Monoclonal | |
| Clone | rMIC2/8497 | |
| Preservative | No Preservative | |
| Isotype | IgM | |
| Purity | Protein A purified | |
| Buffer | 10mM PBS | |
| Due dest Description | | |


| Product Description | |
|---|--|
| Positive Controls: Human pancreas or Ewing s Sarcoma. | |
| Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C. Non-hazardous. No MSDS required. | |
| Mouse | |
| 4267 | |
| CD99 | |
| Human | |
| Recombinant fragment (around aa1-185) of human CD99 protein (exact sequence is proprietary) | |
| | |

| Product Application Details | |
|------------------------------------|---|
| Applications | Immunohistochemistry-Paraffin |
| Recommended Dilutions | Immunohistochemistry-Paraffin 1-2 ug/ml |
| Application Notes | Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes. at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined. |



Images

Formalin-fixed, paraffin-embedded human pancreas stained with CD99 antibody (rMIC2/8497). Inset: PBS instead of primary antibody; secondary only negative control.



Formalin-fixed, paraffin-embedded human pancreas stained with CD99 antibody (rMIC2/8497). HIER: Tris/EDTA, pH9.0, 45min. Secondary: HRP-polymer, 30min. DAB, 5min.



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-21118

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP2-62224 Mouse IgM Isotype Control (PFR-03)
NBP1-82650PEP CD99 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-21118

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

