Product Datasheet

Fc gamma RIII (CD16) Antibody (3G8) [FITC] NBP3-21452F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-21452F

Updated 6/20/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-21452F



NBP3-21452F

Fc gamma RIII (CD16) Antibody (3G8) [FITC]	
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C in the dark.
Clonality	Monoclonal
Clone	3G8
Preservative	0.05% Sodium Azide
Isotype	IgG Kappa
Conjugate	FITC
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Rabbit
Gene ID	2214
Gene Symbol	FCGR3A
Species	Human, Baboon, Chimpanzee, Cynomolgus Monkey, Rhesus Macaque
Reactivity Notes	Expected to react with Pigtailed Macaque, Capuchin Monkey, Squirrel Monkey, Sooty Mangabey, Cotton-topped Tamarin, Marmoset.
Specificity/Sensitivity	This antibody binds to CD16 at an epitope which is not the IgG-binding site. This antibody cannot distinguish between CD16a transmembrane isoform found on the surface of NK cells and macrophages (which can trigger the cytolytic response), and the GPI-linked CD16b isoform present on neutrophils or soluble CD16 found in the plasma. CD16 is the low affinity IgG receptor III and binds to aggregated IgG or IgG-antigen complex which functions in NK cell activation, phagocytosis and ADCC (antibody-dependent cell-mediated cytotoxicity).
Immunogen	Human PMN (polymorphonuclear leukocytes) cells.
Product Application Details	
Applications	Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunoprecipitation, Surface Plasmon Resonance (SPR), Block/Neutralize
Recommended Dilutions	Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation, Block/Neutralize, Surface Plasmon Resonance (SPR)
Application Notes	Optimal dilution of this antibody should be experimentally determined.



Images

Fc gamma RIII (CD16) Antibody (3G8) [FITC] [NBP3-21452F] - Vial of FITC conjugated antibody. FITC is optimally excited at 498 nm by the Blue laser (488 nm) and has an emission maximum of 519 nm.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP3-21452F

210-TA-005 TNF-alpha [Unconjugated]

1960-FC-050 Fc gamma RIII (CD16) [Unconjugated]

202-IL-010 IL-2 [Unconjugated]

NB110-89474 CD11b Antibody - BSA Free

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-21452F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

