# **Product Datasheet**

# Serum Amyloid A1 Antibody (20G5) - BSA Free NBP3-26337-100ul

Unit Size: 100 ul

Store at -20 to -70C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP3-26337

Updated 7/30/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP3-26337



#### NBP3-26337-100ul

Serum Amyloid A1 Antibody (20G5) - BSA Free

Serum Amylola AT Antibo	dy (2003) - BOATTEE						
Product Information							
Unit Size	100 ul						
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.						
Storage	Store at -20 to -70C. Avoid freeze-thaw cycles.						
Clonality	Monoclonal						
Clone	20G5						
Preservative	0.02% Sodium Azide						
Isotype	IgG						
Purity	Affinity purified						
Buffer	PBS, pH 7.4, 150mM NaCl, and 50% glycerol						
<b>Product Description</b>							
Host	Rabbit						
Gene ID	6288						
Gene Symbol	SAA1						
Species	Human						
Immunogen	A synthesized peptide derived from Human Serum Amyloid A1 [UniProt P0DJI8]						


P	r	0	d	u	Ci	ŧ.	Α	p	p	ı	C	a	ti	o	n	D	e	ta	ils	s
-	_	_	•	•	•			r	~	44		•	•	•				•••		_

<b>Applications</b> EL	LISA,	Flow C	ytometry
------------------------	-------	--------	----------

**Recommended Dilutions** Flow Cytometry 1:50-1:200, ELISA

### **Images**

Flow Cytometry: Serum Amyloid A1 Antibody (20G5) [NBP3-26337] - Overlay Peak curve showing HepG2 cells stained with Serum Amyloid A1 Antibody (20G5) (red line) at 1:50. The cells were fixed in 4% formaldehyde and permeated by 0.2% Triton X-100. Then 10% normal goat serum to block non-specific protein-protein interactions followed by the antibody (1ug/1\*10^6 cells) for 45min at 4C. The secondary antibody used was FITC-conjugated Goat Anti-rabbit IgG (H+L) at 1:200 dilution for 35min at 4C. Control antibody (green line) was rabbit IgG (1ug/1\*10^6 cells) used under the same conditions. Acquisition of >10,000 events was performed.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# Products Related to NBP3-26337-100ul

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-34875-10ug Recombinant Human Serum Amyloid A1 Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP3-26337

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

